



# South Coast Air Quality Management District

21865 Copley Drive, Diamond Bar, CA 91765-4178

(909) 396-2000 • [www.aqmd.gov](http://www.aqmd.gov)

SENT VIA USPS:

February 12, 2016

Cynthia Campana, Assistant Planner I  
City of Santa Clarita, Department of Community Development  
23920 Valencia Boulevard, Suite 302  
Santa Clarita, CA 91355

**Draft Mitigated Negative Declaration (Draft MND) for the Proposed Installation, Use and Maintenance of a Wireless Telecommunications Facility Project at 24640 Wiley Canyon Road (Master Case No. 15-197, CUP No. 15-011, DR 15-014)**

The South Coast Air Quality Management District (SCAQMD) staff appreciates the opportunity to comment on the above-mentioned document both as a commenting agency and a responsible agency. The following comments are meant as guidance for the Lead Agency and should be incorporated into the Final Mitigated Negative Declaration.

In the project description, the Lead Agency proposes the installation, operation, and maintenance of rooftop wireless telecommunications facility consisting of a 12 panel antennas, 12 remote radio units, two ray caps, one emergency generator, and two equipment cabinets located within a new 45' tall tower located on the east side of the existing building on the project site. If the proposed project includes a diesel-fueled generator which is rated greater than 50 brake horsepower (bhp), a permit would be required in accordance with SCAQMD rules including Rule 1470 – Requirements for Stationary Diesel-Fueled Internal Combustion and Other Compression Initial Engines and Rule 1110.2 – Emissions From Gaseous- and Liquid-Fueled Engines. If there are permit questions concerning the generator, they can be directed to Engineering and Compliance Staff at (909) 396-2315.

Please provide the SCAQMD with written responses to all comments contained herein prior to the adoption of the Final MND. SCAQMD staff is available to work with the Lead Agency to address these issues and any other air quality questions that may arise. If you have any questions regarding this letter, please contact me at [jwong1@aqmd.gov](mailto:jwong1@aqmd.gov) or call me at (909) 396-3176.

Sincerely,

*Jillian Wong*

Jillian Wong, Ph.D.

Program Supervisor

Planning, Rule Development & Area Sources

LAC160210-05  
Control Number