

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
21865 Copley Drive, Diamond Bar CA 91765-1482

MONITORING & ANALYSIS
REPORT OF LABORATORY ANALYSIS

Page 1 of 2

TO Cher Snyder, Assistant DEO
Engineering & Compliance

LABORATORY NO 1606728

DATE RECEIVED 03/08/2016

SAMPLE DESCRIBED AS

24 hour sample
canister # 54701

FACILITY ID NO NA

REQUESTED BY Sumner Wilson

SAMPLING LOCATION


Highlands Community
Pool Parking Lot
Northridge, CA 91326

ST NO / PROJECT NA

Carbon monoxide (CO), methane (CH₄), carbon dioxide (CO₂), ethane (C₂H₆), and non-methane non-ethane organic carbon (NM/NEOC) in ppmvC by SCAQMD Method 25.1 (TCA FID).

Type	Canister
Number	<u>54701</u>
Pressure (Torr)	740
CO, ppm	< 3
CH ₄ , ppm	2
CO ₂ , ppm	397
Ethane, ppmvC	< 1
NM/NEOC, ppmvC	< 1

Date Approved: 3/10/16

Approved By: 

Rudy Eden, Senior Manager
Laboratory Services
909-396-2391

Sumner Wilson
3-10-16

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
21865 Copley Drive, Diamond Bar CA 91765-1482

MONITORING & ANALYSIS
QUALITY CONTROL SUMMARY

Page 2 of 2

SAMPLE DESCRIBED AS	LABORATORY NO	<u>1606728</u>
24 hour sample canister # 54701	REQUESTED BY	<u>Sumner Wilson</u>

Carbon monoxide (CO), methane (CH₄), carbon dioxide (CO₂), ethane (C₂H₆), and non-methane non-ethane organic carbon (NM/NEOC) in ppmvC by SCAQMD Method 25.1 (TCA FID).

QUALITY CONTROL -- End of run control recovery

		Theoretical	Measured	Percent Difference	QC Limit ±5% or ± 1
CC91340	MDL				
CO, ppmvC	0.3	10.40	9.78	-6.00	PASS
CH ₄ , ppmvC	0.3	10.17	10.40	2.29	PASS
CO ₂ , ppmvC	0.4	10.38	10.46	0.75	PASS
C ₂ H ₄ , ppmvC	0.4	NA	NA	NA	NA
C ₂ H ₆ , ppmvC	0.2	11.00	10.36	-5.83	PASS
NM/NEOC, ppmvC	0.2	10.64	10.16	-4.50	PASS

		Theoretical	Measured	Percent Difference	QC Limit ±5% or ± 1
CC135067	MDL				
CO, ppmvC	0.3	10100	9637	-4.59	PASS
CH ₄ , ppmvC	0.3	9950	9988	0.38	PASS
CO ₂ , ppmvC	0.4	10100	9629	-4.66	PASS
C ₂ H ₄ , ppmvC	0.4	NA	NA	NA	NA
C ₂ H ₆ , ppmvC	0.2	9940	9817	-1.24	PASS
NM/NEOC, ppmvC	0.2	10000	9726	-2.74	PASS

DATE ANALYZED	03/08/2016
REFERENCE NO:	16QM2AA QM2-101-85

**SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
SAMPLE ANALYSIS REQUEST**

DISTRICT
 INVOICE
 LAP AUD
 LABORATORY

WO #: 1606728



TO: SCAQMD LAB: OTHER:

SOURCE NAME: Southern California Gas Co. I.D. No. _____

Source Address: 12801 Tampa Ave City: Porter Ranch

Mailing Address: _____ City: _____ Zip: 91326

Contact Person: _____ Title: _____ Tel: _____

Analysis Requested by: Sumner Wilson Date: 3/8/16

Approved by: Jason Low Office: _____ Budget #: 44716

REASON REQUESTED: Court/Hearing Board Permit Pending Hazardous/Toxic Spill
 Suspected Violation Rule(s) _____ Other

Sample Collected by: Qian Zhou Date: 3/8/16 Time: 8:35am

REQUESTED ANALYSIS: PAMS analysis

City/Location	Can#	Start day / time/ duration	Start vac	End vac
Highlands Community-A	54701	3-7-16 / 00:00 / 24 hours	-30"	-6"
Highlands Community-B	54655	3-7-16 / 00:00 / 24 hours	-30"	-4"

Relinquished by	Received by	Firm/Agency	Date	Time
<i>zhongqian</i>	<i>JL</i>	SCAQMD Lab	3/8/16	11:51

Remarks: 3 scheduled samples from trailer

Highlands community pool parking lot. Address: 12378 High Glen Way, Northridge CA 91326 (across from 12377)

A: EPA B18715; B: EPA B18716