

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
21865 Copley Dr., Diamond Bar, CA 91765-4182


MONITORING & ANALYSIS
REPORT OF LABORATORY ANALYSIS

TO: Cher Snyder Assistant DEO Engineering and Compliance	LABORATORY NO: <u>1607409</u>
	REFERENCE NO: <u>GC6-3-80</u>
SAMPLE DESCRIPTION: 24 hour Sample Canister: E3737	DATE SAMPLED: <u>03/14/16</u>
	DATE RECEIVED: <u>03/15/16</u>
	DATE ANALYZED: <u>03/15/16</u>
SAMPLE LOCATION: Highlands Community Pool Parking Lot	ANALYZED BY: <u>Yang Song</u>
	REQUESTED BY: <u>Sumner Wilson</u>

ANALYTICAL WORK PERFORMED, METHOD OF ANALYSIS AND RESULTS

Volatile Organic Compounds (VOC) by Gas Chromatography(GC)
and Flame Ionization Detection (FID)

Note: See attached for speciated results.

Date Approved: 3/17/2016 Approved By: 
Rudy Eden, Sr. Manager
Laboratory Services Branch
(909) 396-2391

LAB NO: 1607409

Location: Highlands Community

ANALYTICAL WORK PERFORMED, METHOD OF ANALYSIS AND RESULTS

Quantitation of Organic Compounds by Gas Chromatography(GC) and
Flame Ionization Detection (FID)

Sample Date 03/14/16
Canister E3737
Sampling Location **Highlands Community** **Ambient Air**
Pool Parking Lot
Total NMOC, ppbC 42 100-700 ppbC

<u>Compound</u>	<u>Conc. (ppbv)</u>	<u>Conc. (ppbv)</u>
ethylene	0.4	0.7-4.1
acetylene	0.4	
propane	0.9	0.4-5.0
propylene	<0.1	0.2-0.7
isobutane	0.6	0.2-0.9
n-butane	0.3	0.3-1.7
1-butene	<0.1	0.1-0.3
trans-2-butene	<0.1	
cis-2-butene	<0.1	
isopentane	0.6	
1-pentene	<0.1	
n-pentane	0.4	0.1-0.6
isoprene	<0.1	
trans-2-pentene	<0.1	
cis-2-pentene	<0.1	
2,2-dimethylbutane	<0.1	
cyclopentane	<0.1	
2,3-dimethylbutane	<0.1	
2-methylpentane	<0.1	
3-methylpentane	<0.1	
1-hexene	<0.1	<0.1-0.1
n-hexane	<0.1	0.1-0.2
methylcyclopentane	<0.1	
2,4-dimethylpentane	<0.1	
benzene	<0.1	0.1-0.5
cyclohexane	<0.1	
2-methylhexane	<0.1	
2,3-dimethylpentane	<0.1	
3-methylhexane	<0.1	
2,2,4-trimethylpentane	<0.1	
n-heptane	<0.1	0.1-0.2
methylcyclohexane	<0.1	

LAB NO: 1607409

Location: Highlands Community

ANALYTICAL WORK PERFORMED, METHOD OF ANALYSIS AND RESULTS

Quantitation of Organic Compounds by Gas Chromatography(GC) and
Flame Ionization Detection (FID)

Sample Date 03/14/16
Canister E3737
Sampling Location **Highlands Community** **Ambient Air**
Pool Parking Lot
Total NMOC, ppbC 42 100-700 ppbC

<u>Compound</u>	<u>Conc. (ppbv)</u>	<u>Conc. (ppbv)</u>
2,3,4-trimethylpentane	<0.1	
toluene	0.1	0.1-0.6
2-methylheptane	<0.1	
3-methylheptane	<0.1	
n-octane	<0.1	<0.1-0.3
ethylbenzene	<0.1	0.1-0.2
m+p-xylenes	<0.1	0.1-0.2
styrene	<0.1	<0.1-0.2
o-xylene	<0.1	0.1-0.2
n-nonane	<0.1	<0.1-0.1
isopropylbenzene	<0.1	
n-propylbenzene	<0.1	
m-ethyltoluene	<0.1	
p-ethyltoluene	<0.1	
1,3,5-trimethylbenzene	<0.1	
o-ethyltoluene	<0.1	
1,2,4-trimethylbenzene	<0.1	
n-decane	<0.1	<0.1-0.1
1,2,3-trimethylbenzene	<0.1	
m-diethylbenzene	<0.1	
p-diethylbenzene	<0.1	
n-undecane	<0.1	<0.1
n-dodecane	<0.1	<0.1

NMOC = Non-Methane Organic Compounds
N.D. = Not Detected

**SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
SAMPLE ANALYSIS REQUEST**

DIS
 IN
 LA
LABC

WO #: 1607409



TO: SCAQMD LAB: OTHER:
 SOURCE NAME: Southern California Gas Co. I.D. No. _____
 Source Address: 12801 Tampa Ave City: Porter Ranch
 Mailing Address: _____ City: _____ Zip: 91326
 Contact Person: _____ Title: _____ Tel: _____

Analysis Requested by: Sumner Wilson Date: 3/15/16
 Approved by: Jason Low Office: _____ Budget #: 44716
 REASON REQUESTED: Court/Hearing Board Permit Pending Hazardous/Toxic Spill
 Suspected Violation Rule(s) _____ Other

Sample Collected by: Qian Zhou Date: 3/15/16 Time: 8:40am

REQUESTED ANALYSIS: PAMS analysis

City/Location	Can#	Start day / time/ duration	Start vac	End vac
Highlands Community	E3737	3-14-16 / 00:00 / 24 hours	-30"	-6"

Relinquished by	Received by	Firm/Agency	Date	Time
<i>zhongqian</i>	<i>JL</i>	SCAQMD Lab	3/15/16	11:40

Remarks Daily scheduled samples from trailer

Highlands community pool parking lot. Address: 12378 High Glen Way, Northridge CA 91326 (across from 12377)