

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
21865 Copley Drive, Diamond Bar CA 91765-1482

MONITORING & ANALYSIS
REPORT OF LABORATORY ANALYSIS

Page 1 of 2

TO Cher Snyder, Assistant DEO
Engineering & Compliance

LABORATORY NO 1607411

DATE RECEIVED 03/15/2016

SAMPLE DESCRIBED AS
One Summa Canister, 24 h sample

FACILITY ID NO NA

REQUESTED BY Sumner Wilson


SAMPLING LOCATION
Reseda Station
18328 Gault St
Los Angeles, CA 91335

ST NO / PROJECT NA

Carbon monoxide (CO), methane (CH₄), carbon dioxide (CO₂), ethane (C₂H₆), and non-methane non-ethane organic carbon (NM/NEOC) in ppmvC by SCAQMD Method 25.1 (TCA FID).

Type	Canister
Number	<u>54054</u>
Pressure (Torr)	740
CO, ppm	< 3
CH ₄ , ppm	2
CO ₂ , ppm	398
Ethane, ppmvC	< 1
NM/NEOC, ppmvC	< 1

Date Approved: 3/18/16

Approved By: 
Rudy Edén, Senior Manager
Laboratory Services
909-396-2391

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
21865 Copley Drive, Diamond Bar CA 91765-1482

MONITORING & ANALYSIS
QUALITY CONTROL SUMMARY

Page 2 of 2

SAMPLE DESCRIBED AS	LABORATORY NO	<u>1607411</u>
One Summa Canister, 24 h sample	REQUESTED BY	<u>Sumner Wilson</u>

Carbon monoxide (CO), methane (CH₄), carbon dioxide (CO₂), ethane (C₂H₆), and non-methane non-ethane organic carbon (NM/NEOC) in ppmvC by SCAQMD Method 25.1 (TCA FID).

QUALITY CONTROL -- End of run control recovery

		Theoretical	Measured	Percent Difference	QC Limit ±5% or ± 1
CC91340	MDL				
CO, ppmvC	0.3	10.40	9.89	-4.95	PASS
CH ₄ , ppmvC	0.3	10.17	10.19	0.20	PASS
CO ₂ , ppmvC	0.4	10.38	10.28	-0.97	PASS
C ₂ H ₄ , ppmvC	0.4	NA	NA	NA	NA
C ₂ H ₆ , ppmvC	0.2	11.00	10.22	-7.06	PASS
NM/NEOC, ppmvC	0.2	10.64	10.14	-4.71	PASS

		Theoretical	Measured	Percent Difference	QC Limit ±5% or ± 1
CC135067	MDL				
CO, ppmvC	0.3	10100	9645	-4.50	PASS
CH ₄ , ppmvC	0.3	9950	10002	0.52	PASS
CO ₂ , ppmvC	0.4	10100	9619	-4.76	PASS
C ₂ H ₄ , ppmvC	0.4	NA	NA	NA	NA
C ₂ H ₆ , ppmvC	0.2	9940	9797	-1.44	PASS
NM/NEOC, ppmvC	0.2	10000	9716	-2.84	PASS

DATE ANALYZED 03/15/2016
REFERENCE NO: 16QM2AA
 QM2-101-88

**SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
SAMPLE ANALYSIS REQUEST**

DISTR
 INVOI
 LAP A
LABORA

WO #: 1607411



TO: SCAQMD LAB: OTHER: _____
SOURCE NAME: Southern California Gas Co. I.D. No. _____
Source Address: 12801 Tampa Ave City: Porter Ranch
Mailing Address: _____ City: _____ Zip: 91326
Contact Person: _____ Title: _____ Tel: _____

Analysis Requested by: Sumner Wilson Date: 3/15/16
Approved by: Jason Low Office: _____ Budget #: 44716
REASON REQUESTED: Court/Hearing Board Permit Pending Hazardous/Toxic Spill
Suspected Violation Rule(s) _____ Other _____

Sample Collected by: Qian Zhou Date: 3/15/16 Time: 9:55am

REQUESTED ANALYSIS: PAMS analysis

City/Location	Can#	Start day / time/ duration	Start vac	End Press
Reseda Station	54054	3/14/16 / 00:00 / 24 hours	<-30"	+12

Relinquished by	Received by	Firm/Agency	Date	Time
<i>zhongqian</i>	<i>JL</i>	SCAQMD Lab	3/15/16	11:40

Remarks: Daily scheduled samples from station at Reseda
Reseda Station – 18328 Gault St, Los Angeles, CA 91335
GPS (34.199225, -118.532743)