

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT  
21865 Copley Drive, Diamond Bar CA 91765-1482

MONITORING & ANALYSIS  
REPORT OF LABORATORY ANALYSIS

Page 1 of 2

TO Cher Snyder, Assistant DEO  
Engineering & Compliance

LABORATORY NO 1609413

DATE RECEIVED 04/04/2016

SAMPLE DESCRIBED AS

24 hour sample  
Canister # 54693

FACILITY ID NO NA

REQUESTED BY Sumner Wilson

SAMPLING LOCATION

Reseda Station  
18328 Gault St  
Los Angeles, CA 91335

ST NO / PROJECT NA

---

---

Carbon monoxide (CO), methane (CH<sub>4</sub>), carbon dioxide (CO<sub>2</sub>), ethane (C<sub>2</sub>H<sub>6</sub>), and non-methane non-ethane organic carbon (NM/NEOC) in ppmvC by SCAQMD Method 25.1 (TCA FID).

Type	Canister
Number	<u>54693</u>
Pressure (Torr)	740
CO, ppm	< 3
CH <sub>4</sub> , ppm	2
CO <sub>2</sub> , ppm	453
Ethane, ppmvC	< 1
NM/NEOC, ppmvC	< 1

Date Approved: 4/6/16

Approved By:   
Solomon Teffera, Acting Senior Manager  
Laboratory Services  
909-396-2199

*Handwritten note:* 4-6-16

**SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT**  
**21865 Copley Drive, Diamond Bar CA 91765-1482**

**MONITORING & ANALYSIS**  
**QUALITY CONTROL SUMMARY**

Page 2 of 2

<b>SAMPLE DESCRIBED AS</b>	<b>LABORATORY NO</b>	<u>1609413</u>
24 hour sample Canister # 54693	<b>REQUESTED BY</b>	<u>Sumner Wilson</u>

**Carbon monoxide (CO), methane (CH<sub>4</sub>), carbon dioxide (CO<sub>2</sub>), ethane (C<sub>2</sub>H<sub>6</sub>), and non-methane non-ethane organic carbon (NM/NEOC) in ppmvC by SCAQMD Method 25.1 (TCA FID).**

**QUALITY CONTROL -- End of run control recovery**

		Theoretical	Measured	Percent Difference	QC Limit ±5% or ± 1
CC106783	MDL				
CO, ppmvC	0.3	1.92	2.03	5.28	PASS
CH <sub>4</sub> , ppmvC	0.3	2.02	2.19	8.20	PASS
CO <sub>2</sub> , ppmvC	0.3	1.57	2.16	37.61	PASS
C <sub>2</sub> H <sub>4</sub> , ppmvC	0.4	NA	NA	NA	NA
C <sub>2</sub> H <sub>6</sub> , ppmvC	0.4	2.03	2.15	5.78	PASS
NM/NEOC, ppmvC	0.4	2.03	2.27	11.77	PASS

		Theoretical	Measured	Percent Difference	QC Limit ±5% or ± 1
CC12628	MDL				
CO, ppmvC	0.3	1036	1064	2.70	PASS
CH <sub>4</sub> , ppmvC	0.3	1068	1057	-1.07	PASS
CO <sub>2</sub> , ppmvC	0.3	1022	1045	2.29	PASS
C <sub>2</sub> H <sub>4</sub> , ppmvC	0.4	NA	NA	NA	NA
C <sub>2</sub> H <sub>6</sub> , ppmvC	0.4	1044	1051	0.69	PASS
NM/NEOC, ppmvC	0.4	1024	1025	0.17	PASS

<b>DATE ANALYZED</b>	04/04/2016
<b>REFERENCE NO:</b>	16QM2AB QM2-101-94

**SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT  
SAMPLE ANALYSIS REQUEST**

WO #: 1609413



TO: SCAQMD LAB:  OTHER:

SOURCE NAME: Southern California Gas Co. I.D. No. \_\_\_\_\_

Source Address: 12801 Tampa Ave City: Porter Ranch

Mailing Address: \_\_\_\_\_ City: \_\_\_\_\_ Zip: 91326

Contact Person: \_\_\_\_\_ Title: \_\_\_\_\_ Tel: \_\_\_\_\_

Analysis Requested by: Sumner Wilson Date: 4/4/16

Approved by: Jason Low Office: \_\_\_\_\_ Budget #: 44716

REASON REQUESTED: Court/Hearing Board  Permit Pending  Hazardous/Toxic Spill

Suspected Violation Rule(s) \_\_\_\_\_ Other

Sample Collected by: Qian Zhou Date: 4/4/16 Time: 10:25am

REQUESTED ANALYSIS: PAMS analysis

City/Location	Can#	Start day / time/ duration	Start vac	End Press
Reseda Station	54693	4/3/16 / 00:00 / 24 hours	<-30"	0

Relinquished by	Received by	Firm/Agency	Date	Time
<i>zhongqian</i>	<i>Ningqing Ran</i>	SCAQMD Lab	4/4/16	11:58

Remarks: 1:3 scheduled samples from station at Reseda  
Reseda Station – 18328 Gault St, Los Angeles, CA 91335  
GPS (34.199225, -118.532743)