

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
21865 Copley Drive, Diamond Bar CA 91765-1482

MONITORING & ANALYSIS
REPORT OF LABORATORY ANALYSIS


Page 1 of 2

TO	Jason Low Atmospheric Measurements Manager Science and Technology Advancement	LABORATORY NO	<u>1611211</u>
SAMPLE DESCRIBED AS	24 hour sample Canister # 54710	DATE RECEIVED	<u>04/22/2016</u>
SAMPLING LOCATION	Highlands Community Pool Parking Lot	FACILITY ID NO	<u>NA</u>
		REQUESTED BY	<u>Sumner Wilson</u>
		ST NO / PROJECT	<u>NA</u>

Carbon monoxide (CO), methane (CH₄), carbon dioxide (CO₂), ethane (C₂H₆), and non-methane non-ethane organic carbon (NM/NEOC) in ppmvC by SCAQMD Method 25.1 (TCA FID).

Type	Canister
Number	<u>54710</u>
Pressure (Torr)	740
CO, ppm	< 3
CH ₄ , ppm	2
CO ₂ , ppm	419
Ethane, ppmvC	< 1
NM/NEOC, ppmvC	< 1

Date Approved: 4/26/16

Approved By: 
Solomon Teffera, Acting Senior Manager
Laboratory Services
909-396-2199

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
21865 Copley Drive, Diamond Bar CA 91765-1482

MONITORING & ANALYSIS
QUALITY CONTROL SUMMARY

Page 2 of 2

SAMPLE DESCRIBED AS	LABORATORY NO	<u>1611211</u>
24 hour sample Canister # 54710	REQUESTED BY	<u>Sumner Wilson</u>

Carbon monoxide (CO), methane (CH₄), carbon dioxide (CO₂), ethane (C₂H₆), and non-methane non-ethane organic carbon (NM/NEOC) in ppmvC by SCAQMD Method 25.1 (TCA FID).

QUALITY CONTROL -- End of run control recovery

			Theoretical	Measured	Percent Difference	QC Limit
	MDL					±5% or ± 1
CC106783	MDL		1.92	2.18	13.21	PASS
CO, ppmvC	0.3		2.02	2.19	8.02	PASS
CH ₄ , ppmvC	0.3		1.57	2.26	43.79	PASS
CO ₂ , ppmvC	0.3		NA	NA	NA	NA
C ₂ H ₄ , ppmvC	0.4		2.03	2.53	24.76	PASS
C ₂ H ₆ , ppmvC	0.4		2.03	2.18	7.72	PASS
NM/NEOC, ppmvC	0.4					

			Theoretical	Measured	Percent Difference	QC Limit
	MDL					±5% or ± 1
CC12628	MDL		1036	1076	3.86	PASS
CO, ppmvC	0.3		1068	1069	0.13	PASS
CH ₄ , ppmvC	0.3		1022	1059	3.61	PASS
CO ₂ , ppmvC	0.3		NA	NA	NA	NA
C ₂ H ₄ , ppmvC	0.4		1044	1062	1.75	PASS
C ₂ H ₆ , ppmvC	0.4		1024	1039	1.51	PASS
NM/NEOC, ppmvC	0.4					

DATE ANALYZED	04/22/2016
REFERENCE NO:	16QM2AB QM2-101-99

**SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
SAMPLE ANALYSIS REQUEST**

DIST
 INVC
 LAP
LABOR

WO #: 1611211



TO: SCAQMD LAB: OTHER:

SOURCE NAME: Southern California Gas Co. I.D. No. _____

Source Address: 12801 Tampa Ave City: Porter Ranch

Mailing Address: _____ City: _____ Zip: 91326

Contact Person: _____ Title: _____ Tel: _____

Analysis Requested by: Sumner Wilson Date: 4/22/16

Approved by: Jason Low Office: _____ Budget #: 44716

REASON REQUESTED: Court/Hearing Board Permit Pending Hazardous/Toxic Spill

Suspected Violation Rule(s) _____ Other

Sample Collected by: Qian Zhou Date: 4/22/16 Time: 9:15am

REQUESTED ANALYSIS: PAMS analysis

City/Location	Can#	Start day / time/ duration	Start vac	End vac
Highlands Community	54710	4-21-16 / 00:00 / 24 hours	-30"	+11

Relinquished by	Received by	Firm/Agency	Date	Time
<i>zhongqian</i>	<i>[Signature]</i>	SCAQMD Lab	4/22/16	12:08

Remarks 1:3 scheduled samples from trailer
Highlands community pool parking lot. Address: 12378 High Glen Way, Northridge CA 91326 (across from 12377)