

February 19, 2016

SOUTH COAST AQMD
CLERK OF THE BOARDS

CN: 15279

Ms. Cher Snyder
Assistant Deputy Executive Officer
Office of Engineering and Compliance
South Coast Air Quality Management District
21865 Copley Drive
Diamond Bar, CA 91765

'16 FEB 19 P2:07

**PROJECT: EXIDE TECHNOLOGIES FACILITY ID NO. 124838,
ORDER OF ABATEMENT CASE NO. 3151-32**
RE: WEEKLY STATUS REPORT # 74 (2/4/16 – 2/10/16)

Dear Ms. Snyder,

Tetra Tech Inc. is pleased to present the following Weekly Status Report for the above referenced project. This report covers the period of February 4, 2016 through February 10, 2016.

CURRENT ACTIVITIES WHERE PREVIOUSLY APPROVED MITIGATION MEASURES WERE FULLY IMPLEMENTED

Major items of work performed by Exide and/or its contractor(s) (including specific mitigation measures) during this reporting period where mitigation measures were observed to be implemented in full compliance with the previously approved mitigation measures under the Mitigation Plan for RCRA RFI Sampling, and Other Plant Activities or other Mitigation Plans, as approved by the SCAQMD, at the site during this period include:

TASK ID	Major Work Item	Mitigation Measure(s)
EX83/4	RCRA RFI Soil Sampling	Temporary Enclosure Under Negative Pressure
DTSC Ordered	Parking Lot Planter Soil Removal	Temporary Enclosure Under Negative Pressure*
DTSC Ordered	LA County Flood Control Open Channel Clean up	Temporary Enclosure Under Negative Pressure*

* Dust Trak monitoring performed for this work item.

RCRA RFI Soil Sampling

No work occurred related to the RCRA RFI Soil Sampling. RCRA RFI Soil Sampling activities on the Exide property will continue once a revised scope of work to address changed field conditions is developed and approved by the regulatory agencies.

Parking Lot Planter Soil Removal

On Thursday, February 4, 2016, Exide and its contractors began DTSC ordered work on the planter box located on the east side of Indiana Street north of the administrative offices. While an independent mitigation plan was not prepared for this task, fugitive dust mitigation methods were incorporated into the work plan which were observed and verified. Work related to the parking lot planter box soil removal began with Castlerock installing a temporary enclosure over the planter box on Thursday, February 4, 2016. On Friday, February 5, 2016, NRC began removal of shrubs and fencing. The debris was wrapped in plastic prior to removal from the temporary enclosure and disposed of as hazardous waste. NRC resumed activities on Monday, February 8, 2016 with the removal of soil. The soil was placed in drums within the temporary enclosure. By Wednesday, February 10, 2016 the soil removal was complete and the fencing was replaced. Castlerock will remove the temporary enclosure during the next reporting period. Tetra Tech personnel were onsite to monitor work related to the removal of soil from the parking lot planters including downwind Dust Trak monitoring.

Verification activities included:

- Visual observation of the installation activities to verify compliance with the DTSC and SCAQMD approved work plan.
- Downwind Dust Trak monitoring of the areas when activities were conducted, to monitor for fugitive dust emissions. Review of Dust Trak data did not indicate that work associated with securing the removal of soil from the parking lot planter was generating fugitive dust emissions.

LA Flood Control Open Channel Clean Up

On Thursday, February 4, 2016, Exide and its contractors began DTSC ordered work on LA County Flood Control Open Channel Between 26th Street and Bandini Avenue. While an independent mitigation plan was not prepared for this task, fugitive dust mitigation methods were incorporated into the work plan which were observed and verified. Work related to the open channel began with liquid and sediment removal by NRC using a vacuum truck and 2 SCAQMD permitted HEPA backpack type vacuums began on Thursday, February 4, 2016. The sediment removal activities were conducted within temporary enclosures maintained under negative pressure. NRC will continue the open channel clean up activities into the next reporting period. Tetra Tech personnel were onsite to monitor work related to the removal of sediment from the channel including downwind Dust Trak monitoring.

Verification activities included:

- Visual observation of the installation activities to verify compliance with the DTSC and SCAQMD approved work plan.
- Downwind Dust Trak monitoring of the areas when activities were conducted, to monitor for fugitive dust emissions. Review of Dust Trak data did not indicate

that work associated with securing the removal of soil from the parking lot planter was generating fugitive dust emissions.

CURRENT ACTIVITIES WHERE A DEVIATION FROM PREVIOUSLY APPROVED MITIGATION MEASURES WERE OBSERVED AND THE CORRECTIVE ACTIONS TAKEN

Major items of work performed by Exide and/or its contractor(s) (including specific mitigation measures) currently under way or completed during this reporting period where for each of the activities described below, mitigation measures were implemented which to some extent deviated from the previously approved mitigation measures under the Mitigation Plan for RCRA RFI Sampling, and Other Plant Activities or other Mitigation Plans, as approved by the SCAQMD:

TASK ID	Major Work Item	Deviation(s)	CORRECTIVE ACTION
None			

In general accordance with the Order for Abatement Case No. 3151-32 Findings and Decision, air monitoring, if required, was conducted during a portion of all repair work performed within the temporary enclosures on a daily basis. If the results of continuous Dust Trak air monitoring detected excessive dust, additional suppression activities are required to be implemented. For this reporting period, Dust Trak monitoring did not detect excessive dust being generated from repair activities.

Activity Which Resulted in Excessive Dust	Additional Suppression Activity
None	None

ACTUAL vs. FORECAST PROGRESS:

Exide Technologies submitted a schedule which outlines the tasks needed to be completed in response to this abatement order. The attached Gant Chart shows scheduled progress for all activities planned for the upcoming two week period. The following table shows the status of these activities.

TASK	STATUS
None	None

WORK SCHEDULED DURING THE UPCOMING PERIOD:

The following activities are anticipated for the upcoming weeks:

Week	Anticipated Activities
Feb. 11 – Feb. 17	<ul style="list-style-type: none"> No Mitigation Work Scheduled

Week	Anticipated Activities
Feb. 18 - Feb. 24	<ul style="list-style-type: none">• No Mitigation Work Scheduled

KEY MILESTONES:

The following key milestones were achieved during this reporting period:

- o None at this time.

WORKER SAFETY CONCERNS:

The following Health and Safety issues, as they apply to Tetra Tech employees, were observed during this reporting period:

- o None.

POTENTIAL CHANGES AND ACTION ITEMS REQUIRING RESOLUTION:

The following items require resolution:

- o None at this time.

SUMMARY:

The summary provided herein covers the activities for the period of February 4, 2016 through February 10, 2016. Please note that while no Mitigation Plan related activities were scheduled, Tetra Tech was on-site to oversee DTSC ordered work that had the potential to generate fugitive dust. Please find attached a copy of Exide's upcoming two weeks schedule and site map identifying the location of the activities on the upcoming two weeks schedule.

Should you have questions regarding this report, or require additional information, please contact me at your earliest convenience.

Sincerely,



Nick Somogyi
Project Engineer

ATTACHMENTS:


Gant Chart Schedule
Site Map
Field Monitoring Data

Gant Chart Schedule

Project Schedule

Week of 01/28/16 – 02/17/16

Rev: 02/08/2016

 Recycling Division, Vernon, CA							1/30/2016				02/06/16				02/13/16				02							
							28	29	30	31	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16
Mitigation Plan Risks	Task Name	Plant Location	Duration	Start Date	Finish Date	%																				
Ex 72	Cleaning of Assorted Materials in Total Enclosure	Total Enclosure	497 days	11/20/14	3/31/16	80%																				
Ex 76	Various Work Methods in Total Enclosure	Total Enclosure	496 days	11/21/14	3/31/16	80%																				
4	RCRA RFI Soil Sampling	General	407 days	2/18/15	3/31/16	97%																				
Ex 83	RFI Soil Sampling Supplemental	General	407 days	02/18/15	3/31/16	97%																				
Ex 107	Install Riser on Storm Water Sensor Covers	General	30 days	12/01/15	01/28/16	100%																				

*Numbering system correlates with Mitigation plan document.
Ex refers to additional work part of Sec. 6b in the Mitigation plan document.*

Site Map



Mitigation Project Map Layout



Week 01/28/16 – 02/17/16

Rev: 02/08/16

- 4. RCRA RFI Soil Sampling
- Ex 83. RFI Soil Sampling Supplemental
- Ex 72. Cleaning of Assorted Materials in Total Encl.
- Ex 76. Various Work Methods in Total Enclosure
- Ex 107. Install Risers on Storm Water Sensor Covers

Numbering system correlates with Mitigation plan document. Ex refers to additional work part of Sec. 6b in the Mitigation plan document.

Mitigation Schedule and Map_02/08/16.pptx



Monitoring Results / Reports
(Thursday, February 4, 2016)

ACTIVITY	SERIAL NUMBER	LOCATION
Parking Lot Planter Soil Removal	8533141005	Downwind
LA County Flood Control Open Channel Clean up	8533113403	Downwind



Exide Technologies
2700 Indiana Street
Vernon, CA 90058

2/4/2016 DTSC Ordered Work

Test 007

Instrument		Data Properties	
Model	DustTrak DRX	Start Date	02/04/2016
Instrument S/N	8533113403	Start Time	11:29:51
		Stop Date	02/04/2016
		Stop Time	15:29:51
		Total Time	0:04:00:00
		Logging Interval	900 seconds

Test Data							
Data Point	Date	Time	PM1 mg/m ³	PM2.5 mg/m ³	RESP mg/m ³	PM10 mg/m ³	TOTAL mg/m ³
1	02/04/2016	11:44:51	0.008	0.009	0.010	0.011	0.012
2	02/04/2016	11:59:51	0.005	0.005	0.006	0.007	0.007
3	02/04/2016	12:14:51	0.005	0.005	0.006	0.007	0.007
4	02/04/2016	12:29:51	0.006	0.006	0.007	0.008	0.008
5	02/04/2016	12:44:51	0.007	0.007	0.008	0.010	0.010
6	02/04/2016	12:59:51	0.008	0.009	0.009	0.011	0.011
7	02/04/2016	13:14:51	0.008	0.009	0.010	0.011	0.012
8	02/04/2016	13:29:51	0.007	0.007	0.008	0.010	0.010
9	02/04/2016	13:44:51	0.009	0.010	0.011	0.012	0.013
10	02/04/2016	13:59:51	0.009	0.010	0.011	0.012	0.013
11	02/04/2016	14:14:51	0.007	0.007	0.008	0.009	0.009
12	02/04/2016	14:29:51	0.005	0.005	0.006	0.007	0.007
13	02/04/2016	14:44:51	0.004	0.004	0.004	0.006	0.006
14	02/04/2016	14:59:51	0.003	0.003	0.004	0.005	0.005
15	02/04/2016	15:14:51	0.001	0.002	0.002	0.003	0.004
16	02/04/2016	15:29:51	0.001	0.002	0.002	0.003	0.004

Test 035

Instrument		Data Properties	
Model	DustTrak DRX	Start Date	02/04/2016
Instrument S/N	8533141005	Start Time	10:00:50
		Stop Date	02/04/2016
		Stop Time	15:05:50
		Total Time	0:05:05:00
		Logging Interval	300 seconds

Test Data							
Data Point	Date	Time	PM1 mg/m ³	PM2.5 mg/m ³	RESP mg/m ³	PM10 mg/m ³	TOTAL mg/m ³
1	02/04/2016	10:05:50	0.010	0.010	0.011	0.012	0.014
2	02/04/2016	10:10:50	0.009	0.010	0.010	0.011	0.011
3	02/04/2016	10:15:50	0.009	0.010	0.010	0.011	0.011
4	02/04/2016	10:20:50	0.009	0.010	0.010	0.011	0.011
5	02/04/2016	10:25:50	0.012	0.012	0.012	0.013	0.013
6	02/04/2016	10:30:50	0.010	0.011	0.011	0.012	0.013
7	02/04/2016	10:35:50	0.010	0.010	0.010	0.011	0.011
8	02/04/2016	10:40:50	0.009	0.009	0.009	0.010	0.010
9	02/04/2016	10:45:50	0.009	0.009	0.009	0.010	0.010
10	02/04/2016	10:50:50	0.009	0.009	0.010	0.010	0.010
11	02/04/2016	10:55:50	0.009	0.010	0.010	0.010	0.011
12	02/04/2016	11:00:50	0.009	0.009	0.010	0.010	0.011
13	02/04/2016	11:05:50	0.009	0.010	0.010	0.010	0.011
14	02/04/2016	11:10:50	0.010	0.010	0.010	0.011	0.011
15	02/04/2016	11:15:50	0.010	0.010	0.011	0.011	0.011
16	02/04/2016	11:20:50	0.010	0.010	0.011	0.011	0.012
17	02/04/2016	11:25:50	0.010	0.011	0.011	0.011	0.011
18	02/04/2016	11:30:50	0.010	0.010	0.011	0.011	0.011
19	02/04/2016	11:35:50	0.010	0.010	0.011	0.011	0.011
20	02/04/2016	11:40:50	0.011	0.011	0.011	0.012	0.012
21	02/04/2016	11:45:50	0.011	0.011	0.011	0.012	0.012
22	02/04/2016	11:50:50	0.011	0.012	0.012	0.012	0.013
23	02/04/2016	11:55:50	0.011	0.011	0.011	0.012	0.012
24	02/04/2016	12:00:50	0.011	0.011	0.011	0.012	0.012
25	02/04/2016	12:05:50	0.011	0.011	0.011	0.012	0.012
26	02/04/2016	12:10:50	0.011	0.011	0.011	0.012	0.012
27	02/04/2016	12:15:50	0.011	0.012	0.012	0.013	0.013
28	02/04/2016	12:20:50	0.012	0.012	0.012	0.013	0.013
29	02/04/2016	12:25:50	0.014	0.014	0.014	0.015	0.015
30	02/04/2016	12:30:50	0.013	0.013	0.013	0.014	0.014
31	02/04/2016	12:35:50	0.011	0.011	0.012	0.013	0.013
32	02/04/2016	12:40:50	0.014	0.014	0.015	0.016	0.016
33	02/04/2016	12:45:50	0.014	0.014	0.015	0.016	0.016
34	02/04/2016	12:50:50	0.015	0.015	0.015	0.017	0.017
35	02/04/2016	12:55:50	0.015	0.016	0.016	0.017	0.017

Test Data							
Data Point	Date	Time	PM1 mg/m ³	PM2.5 mg/m ³	RESP mg/m ³	PM10 mg/m ³	TOTAL mg/m ³
36	02/04/2016	13:00:50	0.014	0.015	0.015	0.017	0.017
37	02/04/2016	13:05:50	0.013	0.013	0.014	0.015	0.015
38	02/04/2016	13:10:50	0.012	0.012	0.013	0.014	0.014
39	02/04/2016	13:15:50	0.011	0.011	0.012	0.013	0.013
40	02/04/2016	13:20:50	0.014	0.015	0.015	0.016	0.017
41	02/04/2016	13:25:50	0.012	0.013	0.013	0.014	0.015
42	02/04/2016	13:30:50	0.011	0.012	0.012	0.013	0.014
43	02/04/2016	13:35:50	0.012	0.012	0.012	0.014	0.014
44	02/04/2016	13:40:50	0.014	0.014	0.015	0.016	0.016
45	02/04/2016	13:45:50	0.016	0.017	0.017	0.018	0.018
46	02/04/2016	13:50:50	0.016	0.016	0.017	0.018	0.018
47	02/04/2016	13:55:50	0.015	0.016	0.016	0.017	0.017
48	02/04/2016	14:00:50	0.015	0.015	0.016	0.017	0.017
49	02/04/2016	14:05:50	0.012	0.012	0.012	0.013	0.013
50	02/04/2016	14:10:50	0.010	0.010	0.011	0.012	0.012
51	02/04/2016	14:15:50	0.010	0.011	0.011	0.012	0.012
52	02/04/2016	14:20:50	0.009	0.009	0.009	0.010	0.011
53	02/04/2016	14:25:50	0.005	0.005	0.005	0.006	0.006
54	02/04/2016	14:30:50	0.004	0.004	0.005	0.005	0.005
55	02/04/2016	14:35:50	0.004	0.004	0.005	0.006	0.006
56	02/04/2016	14:40:50	0.005	0.005	0.005	0.006	0.006
57	02/04/2016	14:45:50	0.005	0.005	0.006	0.006	0.006
58	02/04/2016	14:50:50	0.005	0.006	0.006	0.007	0.007
59	02/04/2016	14:55:50	0.004	0.004	0.005	0.006	0.006
60	02/04/2016	15:00:50	0.001	0.001	0.002	0.003	0.003
61	02/04/2016	15:05:50	0.001	0.001	0.002	0.002	0.003

Monitoring Results / Reports
(Friday, February 5, 2016)

ACTIVITY	SERIAL NUMBER	LOCATION
Parking Lot Planter Soil Removal	8533141005	Downwind
LA County Flood Control Open Channel Clean up	8533113403	Downwind



Exide Technologies
2700 Indiana Street
Vernon, CA 90058

2/5/2016 DTSC Ordered Work

Test 009

Instrument		Data Properties	
Model	DustTrak DRX	Start Date	02/05/2016
Instrument S/N	8533113403	Start Time	13:17:34
		Stop Date	02/05/2016
		Stop Time	15:17:34
		Total Time	0:02:00:00
		Logging Interval	900 seconds

Test Data							
Data Point	Date	Time	PM1 mg/m ³	PM2.5 mg/m ³	RESP mg/m ³	PM10 mg/m ³	TOTAL mg/m ³
1	02/05/2016	13:32:34	0.002	0.003	0.004	0.006	0.006
2	02/05/2016	13:47:34	0.002	0.003	0.003	0.005	0.006
3	02/05/2016	14:02:34	0.002	0.003	0.003	0.005	0.005
4	02/05/2016	14:17:34	0.002	0.002	0.003	0.005	0.005
5	02/05/2016	14:32:34	0.002	0.003	0.003	0.005	0.005
6	02/05/2016	14:47:34	0.002	0.002	0.003	0.005	0.005
7	02/05/2016	15:02:34	0.002	0.003	0.003	0.005	0.005
8	02/05/2016	15:17:34	0.002	0.003	0.003	0.005	0.005

Test 036

Instrument		Data Properties	
Model	DustTrak DRX	Start Date	02/05/2016
Instrument S/N	8533141005	Start Time	08:37:25
		Stop Date	02/05/2016
		Stop Time	17:42:25
		Total Time	0:09:05:00
		Logging Interval	300 seconds

Test Data							
Data Point	Date	Time	PM1 mg/m ³	PM2.5 mg/m ³	RESP mg/m ³	PM10 mg/m ³	TOTAL mg/m ³
1	02/05/2016	08:42:25	0.007	0.007	0.008	0.009	0.010
2	02/05/2016	08:47:25	0.005	0.006	0.006	0.007	0.007
3	02/05/2016	08:52:25	0.005	0.005	0.006	0.007	0.007
4	02/05/2016	08:57:25	0.005	0.006	0.006	0.008	0.008
5	02/05/2016	09:02:25	0.005	0.006	0.006	0.007	0.007
6	02/05/2016	09:07:25	0.006	0.006	0.007	0.008	0.008
7	02/05/2016	09:12:25	0.007	0.007	0.008	0.009	0.009
8	02/05/2016	09:17:25	0.006	0.007	0.007	0.008	0.009
9	02/05/2016	09:22:25	0.005	0.005	0.005	0.006	0.007
10	02/05/2016	09:27:25	0.005	0.006	0.006	0.007	0.008
11	02/05/2016	09:32:25	0.004	0.005	0.005	0.006	0.006
12	02/05/2016	09:37:25	0.006	0.007	0.007	0.008	0.009
13	02/05/2016	09:42:25	0.006	0.007	0.007	0.008	0.009
14	02/05/2016	09:47:25	0.005	0.006	0.006	0.007	0.007
15	02/05/2016	09:52:25	0.006	0.007	0.007	0.008	0.009
16	02/05/2016	09:57:25	0.006	0.007	0.007	0.008	0.009
17	02/05/2016	10:02:25	0.006	0.006	0.006	0.008	0.008
18	02/05/2016	10:07:25	0.006	0.006	0.007	0.008	0.008
19	02/05/2016	10:12:25	0.006	0.006	0.007	0.008	0.008
20	02/05/2016	10:17:25	0.004	0.004	0.004	0.005	0.005
21	02/05/2016	10:22:25	0.003	0.003	0.003	0.004	0.005
22	02/05/2016	10:27:25	0.003	0.004	0.004	0.005	0.005
23	02/05/2016	10:32:25	0.006	0.006	0.006	0.007	0.007
24	02/05/2016	10:37:25	0.004	0.004	0.004	0.005	0.006
25	02/05/2016	10:42:25	0.005	0.005	0.005	0.006	0.007
26	02/05/2016	10:47:25	0.006	0.006	0.006	0.007	0.008
27	02/05/2016	10:52:25	0.005	0.006	0.006	0.006	0.007
28	02/05/2016	10:57:25	0.006	0.006	0.006	0.007	0.007
29	02/05/2016	11:02:25	0.006	0.006	0.007	0.008	0.008
30	02/05/2016	11:07:25	0.006	0.006	0.006	0.007	0.007
31	02/05/2016	11:12:25	0.005	0.005	0.006	0.006	0.006
32	02/05/2016	11:17:25	0.006	0.007	0.007	0.007	0.008
33	02/05/2016	11:22:25	0.006	0.006	0.007	0.008	0.008
34	02/05/2016	11:27:25	0.006	0.006	0.006	0.007	0.007
35	02/05/2016	11:32:25	0.006	0.006	0.007	0.008	0.008

Test Data							
Data Point	Date	Time	PM1 mg/m ³	PM2.5 mg/m ³	RESP mg/m ³	PM10 mg/m ³	TOTAL mg/m ³
36	02/05/2016	11:37:25	0.006	0.006	0.007	0.008	0.008
37	02/05/2016	11:42:25	0.005	0.005	0.005	0.006	0.007
38	02/05/2016	11:47:25	0.005	0.005	0.006	0.006	0.007
39	02/05/2016	11:52:25	0.005	0.005	0.005	0.006	0.007
40	02/05/2016	11:57:25	0.005	0.005	0.005	0.006	0.007
41	02/05/2016	12:02:25	0.005	0.005	0.005	0.006	0.006
42	02/05/2016	12:07:25	0.004	0.004	0.005	0.005	0.006
43	02/05/2016	12:12:25	0.004	0.004	0.004	0.005	0.006
44	02/05/2016	12:17:25	0.005	0.005	0.005	0.006	0.006
45	02/05/2016	12:22:25	0.003	0.004	0.004	0.005	0.005
46	02/05/2016	12:27:25	0.005	0.005	0.005	0.007	0.007
47	02/05/2016	12:32:25	0.005	0.005	0.005	0.006	0.007
48	02/05/2016	12:37:25	0.004	0.004	0.004	0.006	0.006
49	02/05/2016	12:42:25	0.003	0.004	0.004	0.005	0.005
50	02/05/2016	12:47:25	0.004	0.004	0.005	0.006	0.006
51	02/05/2016	12:52:25	0.004	0.005	0.005	0.006	0.007
52	02/05/2016	12:57:25	0.004	0.004	0.004	0.005	0.005
53	02/05/2016	13:02:25	0.005	0.005	0.005	0.006	0.007
54	02/05/2016	13:07:25	0.004	0.005	0.005	0.006	0.006
55	02/05/2016	13:12:25	0.005	0.005	0.005	0.006	0.007
56	02/05/2016	13:17:25	0.005	0.006	0.006	0.007	0.007
57	02/05/2016	13:22:25	0.005	0.005	0.005	0.006	0.006
58	02/05/2016	13:27:25	0.005	0.005	0.006	0.007	0.007
59	02/05/2016	13:32:25	0.005	0.005	0.005	0.006	0.006
60	02/05/2016	13:37:25	0.005	0.005	0.005	0.006	0.006
61	02/05/2016	13:42:25	0.005	0.005	0.005	0.006	0.007
62	02/05/2016	13:47:25	0.006	0.006	0.006	0.007	0.007
63	02/05/2016	13:52:25	0.005	0.005	0.005	0.006	0.007
64	02/05/2016	13:57:25	0.005	0.006	0.006	0.007	0.007
65	02/05/2016	14:02:25	0.005	0.005	0.006	0.007	0.007
66	02/05/2016	14:07:25	0.005	0.005	0.006	0.007	0.007
67	02/05/2016	14:12:25	0.007	0.007	0.007	0.008	0.009
68	02/05/2016	14:17:25	0.005	0.006	0.006	0.007	0.007
69	02/05/2016	14:22:25	0.005	0.005	0.006	0.007	0.007
70	02/05/2016	14:27:25	0.006	0.006	0.006	0.007	0.008
71	02/05/2016	14:32:25	0.006	0.006	0.006	0.007	0.007
72	02/05/2016	14:37:25	0.006	0.006	0.006	0.008	0.008
73	02/05/2016	14:42:25	0.006	0.006	0.007	0.008	0.008
74	02/05/2016	14:47:25	0.006	0.006	0.006	0.007	0.007
75	02/05/2016	14:52:25	0.007	0.008	0.008	0.009	0.010
76	02/05/2016	14:57:25	0.007	0.007	0.008	0.009	0.009
77	02/05/2016	15:02:25	0.006	0.007	0.007	0.008	0.008
78	02/05/2016	15:07:25	0.006	0.006	0.006	0.007	0.008
79	02/05/2016	15:12:25	0.009	0.009	0.009	0.011	0.011
80	02/05/2016	15:17:25	0.007	0.007	0.008	0.009	0.009
81	02/05/2016	15:22:25	0.007	0.007	0.007	0.008	0.009

Test Data							
Data Point	Date	Time	PM1 mg/m ³	PM2.5 mg/m ³	RESP mg/m ³	PM10 mg/m ³	TOTAL mg/m ³
82	02/05/2016	15:27:25	0.006	0.007	0.007	0.008	0.008
83	02/05/2016	15:32:25	0.006	0.007	0.007	0.008	0.008
84	02/05/2016	15:37:25	0.006	0.007	0.007	0.008	0.008
85	02/05/2016	15:42:25	0.005	0.005	0.006	0.007	0.007
86	02/05/2016	15:47:25	0.004	0.004	0.004	0.005	0.005
87	02/05/2016	15:52:25	0.003	0.003	0.004	0.004	0.005
88	02/05/2016	15:57:25	0.004	0.004	0.004	0.005	0.005
89	02/05/2016	16:02:25	0.007	0.007	0.007	0.008	0.009
90	02/05/2016	16:07:25	0.005	0.005	0.005	0.006	0.006
91	02/05/2016	16:12:25	0.004	0.004	0.005	0.005	0.006
92	02/05/2016	16:17:25	0.004	0.004	0.005	0.006	0.006
93	02/05/2016	16:22:25	0.003	0.003	0.004	0.004	0.005
94	02/05/2016	16:27:25	0.003	0.003	0.003	0.004	0.004
95	02/05/2016	16:32:25	0.002	0.002	0.003	0.004	0.004
96	02/05/2016	16:37:25	0.002	0.003	0.003	0.004	0.004
97	02/05/2016	16:42:25	0.004	0.005	0.005	0.006	0.007
98	02/05/2016	16:47:25	0.006	0.006	0.007	0.007	0.008
99	02/05/2016	16:52:25	0.007	0.007	0.008	0.009	0.009
100	02/05/2016	16:57:25	0.004	0.005	0.005	0.006	0.006
101	02/05/2016	17:02:25	0.005	0.005	0.006	0.007	0.007
102	02/05/2016	17:07:25	0.009	0.009	0.010	0.011	0.011
103	02/05/2016	17:12:25	0.007	0.007	0.008	0.008	0.009
104	02/05/2016	17:17:25	0.006	0.006	0.006	0.007	0.008
105	02/05/2016	17:22:25	0.007	0.008	0.008	0.010	0.010
106	02/05/2016	17:27:25	0.006	0.006	0.007	0.008	0.008
107	02/05/2016	17:32:25	0.007	0.007	0.008	0.009	0.010
108	02/05/2016	17:37:25	0.007	0.007	0.007	0.008	0.009
109	02/05/2016	17:42:25	0.005	0.005	0.006	0.007	0.007

Test 008

Instrument		Data Properties	
Model	DustTrak DRX	Start Date	02/05/2016
Instrument S/N	8533113403	Start Time	08:06:59
		Stop Date	02/05/2016
		Stop Time	13:06:59
		Total Time	0:05:00:00
		Logging Interval	900 seconds

Test Data							
Data Point	Date	Time	PM1 mg/m ³	PM2.5 mg/m ³	RESP mg/m ³	PM10 mg/m ³	TOTAL mg/m ³
1	02/05/2016	08:21:59	0.002	0.002	0.003	0.005	0.006
2	02/05/2016	08:36:59	0.002	0.003	0.004	0.006	0.007
3	02/05/2016	08:51:59	0.002	0.003	0.004	0.007	0.007
4	02/05/2016	09:06:59	0.002	0.002	0.003	0.005	0.006
5	02/05/2016	09:21:59	0.002	0.003	0.004	0.006	0.006
6	02/05/2016	09:36:59	0.002	0.002	0.003	0.005	0.006
7	02/05/2016	09:51:59	0.002	0.002	0.003	0.005	0.006
8	02/05/2016	10:06:59	0.002	0.002	0.003	0.005	0.006
9	02/05/2016	10:21:59	0.001	0.002	0.002	0.004	0.004
10	02/05/2016	10:36:59	0.001	0.001	0.002	0.004	0.004
11	02/05/2016	10:51:59	0.001	0.002	0.002	0.004	0.004
12	02/05/2016	11:06:59	0.002	0.002	0.003	0.004	0.004
13	02/05/2016	11:21:59	0.002	0.002	0.003	0.004	0.005
14	02/05/2016	11:36:59	0.002	0.002	0.003	0.004	0.004
15	02/05/2016	11:51:59	0.001	0.001	0.002	0.004	0.004
16	02/05/2016	12:06:59	0.001	0.002	0.002	0.004	0.005
17	02/05/2016	12:21:59	0.001	0.002	0.002	0.004	0.005
18	02/05/2016	12:36:59	0.000	0.001	0.001	0.003	0.004
19	02/05/2016	12:51:59	0.001	0.001	0.002	0.003	0.004
20	02/05/2016	13:06:59	0.001	0.001	0.002	0.004	0.005

Monitoring Results / Reports
(Monday, February 8, 2016)

ACTIVITY	SERIAL NUMBER	LOCATION
Parking Lot Planter Soil Removal	8533141005	Downwind
LA County Flood Control Open Channel Clean up	8533113403	Downwind



Exide Technologies
2700 Indiana Street
Vernon, CA 90058

2/8/2016 DTSC Ordered Work

Test 010

Instrument		Data Properties	
Model	DustTrak DRX	Start Date	02/08/2016
Instrument S/N	8533113403	Start Time	06:54:25
		Stop Date	02/08/2016
		Stop Time	14:54:25
		Total Time	0:08:00:00
		Logging Interval	900 seconds

Test Data							
Data Point	Date	Time	PM1 mg/m ³	PM2.5 mg/m ³	RESP mg/m ³	PM10 mg/m ³	TOTAL mg/m ³
1	02/08/2016	07:09:25	0.014	0.017	0.021	0.029	0.030
2	02/08/2016	07:24:25	0.014	0.018	0.025	0.037	0.038
3	02/08/2016	07:39:25	0.014	0.018	0.023	0.032	0.033
4	02/08/2016	07:54:25	0.019	0.021	0.023	0.027	0.028
5	02/08/2016	08:09:25	0.015	0.018	0.022	0.029	0.030
6	02/08/2016	08:24:25	0.010	0.013	0.018	0.026	0.027
7	02/08/2016	08:39:25	0.008	0.011	0.014	0.021	0.022
8	02/08/2016	08:54:25	0.005	0.007	0.009	0.012	0.012
9	02/08/2016	09:09:25	0.004	0.005	0.006	0.009	0.009
10	02/08/2016	09:24:25	0.004	0.005	0.007	0.012	0.012
11	02/08/2016	09:39:25	0.005	0.006	0.007	0.011	0.012
12	02/08/2016	09:54:25	0.002	0.003	0.005	0.010	0.011
13	02/08/2016	10:09:25	0.002	0.003	0.004	0.007	0.007
14	02/08/2016	10:24:25	0.001	0.001	0.002	0.004	0.004
15	02/08/2016	10:39:25	0.000	0.001	0.001	0.003	0.003
16	02/08/2016	10:54:25	0.000	0.000	0.001	0.003	0.003
17	02/08/2016	11:09:25	0.000	0.000	0.001	0.003	0.004
18	02/08/2016	11:24:25	0.000	0.000	0.001	0.003	0.004
19	02/08/2016	11:39:25	0.000	0.000	0.001	0.003	0.003
20	02/08/2016	11:54:25	0.000	0.000	0.001	0.002	0.003
21	02/08/2016	12:09:25	0.000	0.000	0.001	0.002	0.003
22	02/08/2016	12:24:25	0.000	0.000	0.001	0.002	0.003
23	02/08/2016	12:39:25	0.000	0.000	0.001	0.002	0.002
24	02/08/2016	12:54:25	0.000	0.000	0.001	0.003	0.003
25	02/08/2016	13:09:25	0.000	0.000	0.001	0.003	0.003
26	02/08/2016	13:24:25	0.000	0.000	0.001	0.002	0.003
27	02/08/2016	13:39:25	0.000	0.000	0.000	0.002	0.002
28	02/08/2016	13:54:25	0.000	0.000	0.000	0.002	0.002
29	02/08/2016	14:09:25	0.000	0.000	0.000	0.002	0.002
30	02/08/2016	14:24:25	0.000	0.000	0.000	0.002	0.002
31	02/08/2016	14:39:25	0.000	0.000	0.000	0.002	0.002
32	02/08/2016	14:54:25	0.000	0.000	0.000	0.002	0.002

Test 037

Instrument		Data Properties	
Model	DustTrak DRX	Start Date	02/08/2016
Instrument S/N	8533141005	Start Time	07:00:21
		Stop Date	02/08/2016
		Stop Time	15:40:21
		Total Time	0:08:40:00
		Logging Interval	300 seconds

Test Data							
Data Point	Date	Time	PM1 mg/m ³	PM2.5 mg/m ³	RESP mg/m ³	PM10 mg/m ³	TOTAL mg/m ³
1	02/08/2016	07:05:21	0.036	0.038	0.039	0.043	0.044
2	02/08/2016	07:10:21	0.035	0.037	0.040	0.046	0.047
3	02/08/2016	07:15:21	0.036	0.038	0.041	0.047	0.049
4	02/08/2016	07:20:21	0.033	0.035	0.037	0.044	0.044
5	02/08/2016	07:25:21	0.029	0.031	0.032	0.037	0.037
6	02/08/2016	07:30:21	0.036	0.038	0.040	0.045	0.045
7	02/08/2016	07:35:21	0.040	0.042	0.045	0.052	0.053
8	02/08/2016	07:40:21	0.041	0.043	0.044	0.049	0.050
9	02/08/2016	07:45:21	0.046	0.047	0.048	0.051	0.052
10	02/08/2016	07:50:21	0.046	0.047	0.048	0.051	0.051
11	02/08/2016	07:55:21	0.045	0.046	0.048	0.053	0.054
12	02/08/2016	08:00:21	0.040	0.041	0.043	0.048	0.050
13	02/08/2016	08:05:21	0.041	0.043	0.045	0.050	0.051
14	02/08/2016	08:10:21	0.035	0.036	0.038	0.041	0.042
15	02/08/2016	08:15:21	0.030	0.032	0.033	0.036	0.037
16	02/08/2016	08:20:21	0.029	0.031	0.032	0.035	0.036
17	02/08/2016	08:25:21	0.025	0.026	0.027	0.030	0.031
18	02/08/2016	08:30:21	0.023	0.024	0.025	0.028	0.028
19	02/08/2016	08:35:21	0.027	0.028	0.029	0.032	0.033
20	02/08/2016	08:40:21	0.023	0.024	0.025	0.028	0.029
21	02/08/2016	08:45:21	0.015	0.016	0.016	0.018	0.018
22	02/08/2016	08:50:21	0.014	0.015	0.015	0.017	0.018
23	02/08/2016	08:55:21	0.014	0.015	0.016	0.018	0.018
24	02/08/2016	09:00:21	0.013	0.013	0.014	0.016	0.017
25	02/08/2016	09:05:21	0.012	0.012	0.013	0.015	0.015
26	02/08/2016	09:10:21	0.010	0.011	0.011	0.012	0.012
27	02/08/2016	09:15:21	0.008	0.009	0.009	0.011	0.011
28	02/08/2016	09:20:21	0.008	0.008	0.009	0.011	0.011
29	02/08/2016	09:25:21	0.015	0.016	0.018	0.023	0.024
30	02/08/2016	09:30:21	0.016	0.016	0.018	0.022	0.023
31	02/08/2016	09:35:21	0.015	0.015	0.016	0.019	0.019
32	02/08/2016	09:40:21	0.010	0.010	0.011	0.014	0.014
33	02/08/2016	09:45:21	0.010	0.010	0.011	0.014	0.015
34	02/08/2016	09:50:21	0.009	0.010	0.011	0.013	0.013
35	02/08/2016	09:55:21	0.007	0.008	0.008	0.010	0.010

Test Data							
Data Point	Date	Time	PM1 mg/m ³	PM2.5 mg/m ³	RESP mg/m ³	PM10 mg/m ³	TOTAL mg/m ³
36	02/08/2016	10:00:21	0.005	0.006	0.007	0.008	0.008
37	02/08/2016	10:05:21	0.005	0.006	0.006	0.008	0.008
38	02/08/2016	10:10:21	0.005	0.006	0.006	0.008	0.008
39	02/08/2016	10:15:21	0.004	0.004	0.005	0.006	0.006
40	02/08/2016	10:20:21	0.004	0.004	0.004	0.005	0.006
41	02/08/2016	10:25:21	0.004	0.004	0.005	0.006	0.006
42	02/08/2016	10:30:21	0.002	0.002	0.002	0.004	0.004
43	02/08/2016	10:35:21	0.001	0.002	0.002	0.003	0.003
44	02/08/2016	10:40:21	0.001	0.001	0.001	0.002	0.003
45	02/08/2016	10:45:21	0.000	0.000	0.001	0.002	0.002
46	02/08/2016	10:50:21	0.000	0.000	0.001	0.002	0.002
47	02/08/2016	10:55:21	0.000	0.001	0.001	0.002	0.002
48	02/08/2016	11:00:21	0.002	0.002	0.003	0.004	0.004
49	02/08/2016	11:05:21	0.001	0.001	0.001	0.003	0.003
50	02/08/2016	11:10:21	0.002	0.002	0.003	0.005	0.005
51	02/08/2016	11:15:21	0.001	0.001	0.002	0.003	0.003
52	02/08/2016	11:20:21	0.001	0.001	0.002	0.003	0.003
53	02/08/2016	11:25:21	0.001	0.001	0.002	0.003	0.003
54	02/08/2016	11:30:21	0.001	0.001	0.001	0.003	0.003
55	02/08/2016	11:35:21	0.000	0.000	0.001	0.002	0.002
56	02/08/2016	11:40:21	0.000	0.000	0.000	0.002	0.002
57	02/08/2016	11:45:21	0.000	0.000	0.000	0.002	0.002
58	02/08/2016	11:50:21	0.000	0.000	0.000	0.002	0.002
59	02/08/2016	11:55:21	0.000	0.000	0.001	0.002	0.002
60	02/08/2016	12:00:21	0.000	0.000	0.001	0.002	0.002
61	02/08/2016	12:05:21	0.000	0.000	0.001	0.002	0.002
62	02/08/2016	12:10:21	0.000	0.001	0.001	0.003	0.003
63	02/08/2016	12:15:21	0.000	0.001	0.001	0.002	0.003
64	02/08/2016	12:20:21	0.001	0.001	0.001	0.003	0.003
65	02/08/2016	12:25:21	0.000	0.001	0.001	0.002	0.003
66	02/08/2016	12:30:21	0.001	0.001	0.001	0.003	0.003
67	02/08/2016	12:35:21	0.000	0.001	0.001	0.003	0.003
68	02/08/2016	12:40:21	0.000	0.000	0.000	0.001	0.002
69	02/08/2016	12:45:21	0.000	0.000	0.000	0.001	0.001
70	02/08/2016	12:50:21	0.001	0.001	0.002	0.003	0.003
71	02/08/2016	12:55:21	0.000	0.000	0.000	0.002	0.002
72	02/08/2016	13:00:21	0.000	0.000	0.001	0.002	0.003
73	02/08/2016	13:05:21	0.000	0.000	0.000	0.001	0.002
74	02/08/2016	13:10:21	-0.001	0.000	0.000	0.000	0.001
75	02/08/2016	13:15:21	-0.001	-0.001	0.000	0.000	0.000
76	02/08/2016	13:20:21	0.000	0.000	0.001	0.002	0.002
77	02/08/2016	13:25:21	0.000	0.000	0.000	0.001	0.001
78	02/08/2016	13:30:21	0.000	0.000	0.000	0.001	0.001
79	02/08/2016	13:35:21	-0.001	-0.001	0.000	0.000	0.000
80	02/08/2016	13:40:21	0.000	0.000	0.000	0.002	0.002
81	02/08/2016	13:45:21	0.000	0.000	0.000	0.001	0.002

Test Data							
Data Point	Date	Time	PM1 mg/m ³	PM2.5 mg/m ³	RESP mg/m ³	PM10 mg/m ³	TOTAL mg/m ³
82	02/08/2016	13:50:21	-0.002	-0.002	-0.002	0.000	0.000
83	02/08/2016	13:55:21	-0.002	-0.002	-0.002	0.000	0.000
84	02/08/2016	14:00:21	-0.001	-0.001	-0.001	0.000	0.000
85	02/08/2016	14:05:21	-0.002	-0.002	-0.001	0.000	0.000
86	02/08/2016	14:10:21	-0.002	-0.002	-0.002	0.000	0.000
87	02/08/2016	14:15:21	-0.003	-0.002	-0.002	-0.001	-0.001
88	02/08/2016	14:20:21	-0.004	-0.004	-0.003	-0.002	-0.002
89	02/08/2016	14:25:21	-0.003	-0.003	-0.003	-0.001	-0.001
90	02/08/2016	14:30:21	-0.004	-0.004	-0.003	-0.002	-0.002
91	02/08/2016	14:35:21	-0.003	-0.003	-0.003	-0.001	-0.001
92	02/08/2016	14:40:21	-0.002	-0.001	-0.001	0.000	0.000
93	02/08/2016	14:45:21	-0.003	-0.003	-0.002	-0.001	0.000
94	02/08/2016	14:50:21	-0.002	-0.002	-0.002	0.000	0.003
95	02/08/2016	14:55:21	-0.003	-0.002	-0.002	-0.001	-0.001
96	02/08/2016	15:00:21	-0.002	-0.002	-0.002	0.000	0.000
97	02/08/2016	15:05:21	-0.004	-0.004	-0.003	-0.002	-0.002
98	02/08/2016	15:10:21	-0.003	-0.003	-0.003	-0.002	-0.001
99	02/08/2016	15:15:21	-0.003	-0.003	-0.003	-0.002	-0.001
100	02/08/2016	15:20:21	-0.004	-0.003	-0.003	-0.002	-0.002
101	02/08/2016	15:25:21	-0.004	-0.004	-0.003	-0.002	-0.002
102	02/08/2016	15:30:21	-0.004	-0.004	-0.003	-0.002	-0.002
103	02/08/2016	15:35:21	-0.004	-0.004	-0.003	-0.002	-0.002
104	02/08/2016	15:40:21	-0.003	-0.003	-0.003	-0.002	-0.001

Monitoring Results / Reports
(Tuesday, February 9, 2016)

ACTIVITY	SERIAL NUMBER	LOCATION
Parking Lot Planter Soil Removal	8533141005	Downwind
LA County Flood Control Open Channel Clean up	8533113403	Downwind



Exide Technologies
2700 Indiana Street
Vernon, CA 90058

2/9/2016 DTSC Ordered Work

Test 011

Instrument		Data Properties	
Model	DustTrak DRX	Start Date	02/09/2016
Instrument S/N	8533113403	Start Time	07:14:40
		Stop Date	02/09/2016
		Stop Time	14:59:40
		Total Time	0:07:45:00
		Logging Interval	900 seconds

Test Data							
Data Point	Date	Time	PM1 mg/m ³	PM2.5 mg/m ³	RESP mg/m ³	PM10 mg/m ³	TOTAL mg/m ³
1	02/09/2016	07:29:40	0.007	0.010	0.013	0.022	0.024
2	02/09/2016	07:44:40	0.004	0.006	0.009	0.015	0.016
3	02/09/2016	07:59:40	0.001	0.002	0.003	0.005	0.005
4	02/09/2016	08:14:40	0.001	0.002	0.003	0.004	0.005
5	02/09/2016	08:29:40	0.000	0.001	0.002	0.004	0.005
6	02/09/2016	08:44:40	0.000	0.001	0.002	0.003	0.003
7	02/09/2016	08:59:40	0.000	0.001	0.002	0.004	0.004
8	02/09/2016	09:14:40	0.000	0.001	0.002	0.003	0.003
9	02/09/2016	09:29:40	0.000	0.001	0.002	0.003	0.004
10	02/09/2016	09:44:40	0.000	0.000	0.001	0.003	0.003
11	02/09/2016	09:59:40	0.000	0.000	0.001	0.002	0.002
12	02/09/2016	10:14:40	0.000	0.000	0.001	0.003	0.003
13	02/09/2016	10:29:40	0.000	0.000	0.001	0.002	0.002
14	02/09/2016	10:44:40	0.000	0.000	0.000	0.002	0.002
15	02/09/2016	10:59:40	0.000	0.000	0.000	0.002	0.002
16	02/09/2016	11:14:40	0.000	0.000	0.000	0.002	0.002
17	02/09/2016	11:29:40	0.000	0.000	0.001	0.003	0.003
18	02/09/2016	11:44:40	0.000	0.000	0.001	0.003	0.003
19	02/09/2016	11:59:40	0.000	0.000	0.000	0.002	0.002
20	02/09/2016	12:14:40	0.000	0.000	0.001	0.003	0.003
21	02/09/2016	12:29:40	0.000	0.001	0.002	0.004	0.004
22	02/09/2016	12:44:40	0.000	0.000	0.001	0.003	0.003
23	02/09/2016	12:59:40	0.000	0.000	0.001	0.003	0.003
24	02/09/2016	13:14:40	0.000	0.000	0.001	0.003	0.003
25	02/09/2016	13:29:40	0.000	0.000	0.000	0.002	0.002
26	02/09/2016	13:44:40	0.000	0.000	0.000	0.001	0.001
27	02/09/2016	13:59:40	0.000	0.000	0.000	0.001	0.002
28	02/09/2016	14:14:40	0.000	0.000	0.000	0.001	0.002
29	02/09/2016	14:29:40	0.000	0.000	0.000	0.001	0.002
30	02/09/2016	14:44:40	0.000	0.000	0.000	0.001	0.002
31	02/09/2016	14:59:40	0.000	0.000	0.000	0.002	0.002

Test 038

Instrument		Data Properties	
Model	DustTrak DRX	Start Date	02/09/2016
Instrument S/N	8533141005	Start Time	07:30:14
		Stop Date	02/09/2016
		Stop Time	13:25:14
		Total Time	0:05:55:00
		Logging Interval	300 seconds

Test Data							
Data Point	Date	Time	PM1 mg/m ³	PM2.5 mg/m ³	RESP mg/m ³	PM10 mg/m ³	TOTAL mg/m ³
1	02/09/2016	07:35:14	0.010	0.011	0.012	0.017	0.018
2	02/09/2016	07:40:14	0.000	0.001	0.001	0.003	0.003
3	02/09/2016	07:45:14	0.001	0.002	0.002	0.004	0.004
4	02/09/2016	07:50:14	0.002	0.002	0.003	0.004	0.004
5	02/09/2016	07:55:14	0.001	0.001	0.001	0.002	0.003
6	02/09/2016	08:00:14	0.000	0.001	0.001	0.002	0.002
7	02/09/2016	08:05:14	0.000	0.000	0.001	0.002	0.002
8	02/09/2016	08:10:14	0.001	0.001	0.002	0.003	0.003
9	02/09/2016	08:15:14	0.001	0.002	0.002	0.003	0.003
10	02/09/2016	08:20:14	0.001	0.001	0.002	0.003	0.004
11	02/09/2016	08:25:14	0.000	0.001	0.001	0.002	0.003
12	02/09/2016	08:30:14	0.001	0.001	0.001	0.002	0.003
13	02/09/2016	08:35:14	0.000	0.001	0.001	0.002	0.002
14	02/09/2016	08:40:14	0.001	0.001	0.001	0.002	0.002
15	02/09/2016	08:45:14	0.001	0.001	0.001	0.003	0.003
16	02/09/2016	08:50:14	0.001	0.001	0.001	0.003	0.003
17	02/09/2016	08:55:14	0.000	0.001	0.001	0.002	0.002
18	02/09/2016	09:00:14	0.000	0.001	0.001	0.002	0.002
19	02/09/2016	09:05:14	0.000	0.000	0.001	0.002	0.002
20	02/09/2016	09:10:14	0.001	0.001	0.002	0.003	0.003
21	02/09/2016	09:15:14	0.001	0.001	0.002	0.003	0.003
22	02/09/2016	09:20:14	0.000	0.000	0.000	0.001	0.001
23	02/09/2016	09:25:14	0.001	0.001	0.001	0.003	0.003
24	02/09/2016	09:30:14	0.002	0.002	0.003	0.005	0.005
25	02/09/2016	09:35:14	0.002	0.002	0.003	0.004	0.004
26	02/09/2016	09:40:14	0.001	0.002	0.002	0.004	0.004
27	02/09/2016	09:45:14	0.002	0.002	0.003	0.004	0.005
28	02/09/2016	09:50:14	0.001	0.002	0.003	0.004	0.004
29	02/09/2016	09:55:14	0.002	0.002	0.003	0.004	0.004
30	02/09/2016	10:00:14	0.003	0.003	0.004	0.005	0.005
31	02/09/2016	10:05:14	0.001	0.001	0.002	0.003	0.003
32	02/09/2016	10:10:14	0.001	0.002	0.002	0.004	0.004
33	02/09/2016	10:15:14	0.001	0.002	0.002	0.003	0.004
34	02/09/2016	10:20:14	0.000	0.001	0.001	0.002	0.002
35	02/09/2016	10:25:14	0.000	0.000	0.001	0.002	0.002

Test Data							
Data Point	Date	Time	PM1 mg/m ³	PM2.5 mg/m ³	RESP mg/m ³	PM10 mg/m ³	TOTAL mg/m ³
36	02/09/2016	10:30:14	0.000	0.000	0.001	0.002	0.002
37	02/09/2016	10:35:14	0.000	0.000	0.000	0.001	0.001
38	02/09/2016	10:40:14	0.000	0.000	0.001	0.002	0.002
39	02/09/2016	10:45:14	0.000	0.001	0.001	0.002	0.002
40	02/09/2016	10:50:14	0.000	0.000	0.000	0.001	0.001
41	02/09/2016	10:55:14	0.000	0.000	0.000	0.001	0.001
42	02/09/2016	11:00:14	0.000	0.000	0.001	0.002	0.002
43	02/09/2016	11:05:14	0.000	0.000	0.000	0.001	0.001
44	02/09/2016	11:10:14	0.001	0.001	0.001	0.003	0.003
45	02/09/2016	11:15:14	0.002	0.002	0.003	0.004	0.005
46	02/09/2016	11:20:14	0.000	0.000	0.000	0.002	0.002
47	02/09/2016	11:25:14	0.000	0.001	0.001	0.003	0.003
48	02/09/2016	11:30:14	0.000	0.001	0.001	0.003	0.003
49	02/09/2016	11:35:14	0.000	0.000	0.001	0.002	0.002
50	02/09/2016	11:40:14	0.000	0.000	0.000	0.001	0.002
51	02/09/2016	11:45:14	0.000	0.000	0.000	0.001	0.001
52	02/09/2016	11:50:14	0.000	0.000	0.000	0.000	0.000
53	02/09/2016	11:55:14	0.000	0.000	0.000	0.000	0.000
54	02/09/2016	12:00:14	0.000	0.000	0.000	0.001	0.001
55	02/09/2016	12:05:14	0.000	0.000	0.000	0.001	0.001
56	02/09/2016	12:10:14	0.000	0.000	0.000	0.001	0.002
57	02/09/2016	12:15:14	0.001	0.001	0.002	0.003	0.004
58	02/09/2016	12:20:14	0.002	0.003	0.003	0.006	0.006
59	02/09/2016	12:25:14	0.002	0.002	0.003	0.004	0.005
60	02/09/2016	12:30:14	0.001	0.001	0.002	0.003	0.004
61	02/09/2016	12:35:14	0.000	0.000	0.000	0.002	0.002
62	02/09/2016	12:40:14	0.000	0.000	0.001	0.002	0.003
63	02/09/2016	12:45:14	0.000	0.000	0.000	0.001	0.001
64	02/09/2016	12:50:14	-0.001	-0.001	-0.001	0.000	0.000
65	02/09/2016	12:55:14	0.000	0.000	0.000	0.002	0.002
66	02/09/2016	13:00:14	0.000	0.001	0.001	0.002	0.003
67	02/09/2016	13:05:14	0.000	0.000	0.001	0.002	0.003
68	02/09/2016	13:10:14	0.000	0.001	0.001	0.003	0.003
69	02/09/2016	13:15:14	0.000	0.000	0.000	0.001	0.001
70	02/09/2016	13:20:14	0.000	0.000	0.000	0.000	0.000
71	02/09/2016	13:25:14	-0.001	-0.001	0.000	0.000	0.000

Monitoring Results / Reports
(Wednesday, February 10, 2016)

ACTIVITY	SERIAL NUMBER	LOCATION
Parking Lot Planter Soil Removal	8533143905	Downwind
LA County Flood Control Open Channel Clean up	8533113403	Downwind



Exide Technologies
2700 Indiana Street
Vernon, CA 90058

2/10/2016 DTSC Ordered Work

Test 012

Instrument		Data Properties	
Model	DustTrak DRX	Start Date	02/10/2016
Instrument S/N	8533113403	Start Time	07:24:11
		Stop Date	02/10/2016
		Stop Time	15:09:11
		Total Time	0:07:45:00
		Logging Interval	900 seconds

Test Data							
Data Point	Date	Time	PM1 mg/m ³	PM2.5 mg/m ³	RESP mg/m ³	PM10 mg/m ³	TOTAL mg/m ³
1	02/10/2016	07:39:11	0.004	0.005	0.007	0.011	0.012
2	02/10/2016	07:54:11	0.005	0.007	0.009	0.013	0.013
3	02/10/2016	08:09:11	0.004	0.006	0.008	0.012	0.013
4	02/10/2016	08:24:11	0.002	0.003	0.004	0.007	0.008
5	02/10/2016	08:39:11	0.002	0.003	0.004	0.007	0.008
6	02/10/2016	08:54:11	0.002	0.003	0.004	0.007	0.007
7	02/10/2016	09:09:11	0.001	0.002	0.003	0.006	0.006
8	02/10/2016	09:24:11	0.001	0.002	0.003	0.005	0.005
9	02/10/2016	09:39:11	0.000	0.001	0.002	0.004	0.004
10	02/10/2016	09:54:11	0.001	0.001	0.002	0.004	0.005
11	02/10/2016	10:09:11	0.000	0.001	0.002	0.004	0.004
12	02/10/2016	10:24:11	0.000	0.001	0.002	0.004	0.004
13	02/10/2016	10:39:11	0.001	0.001	0.002	0.004	0.004
14	02/10/2016	10:54:11	0.001	0.001	0.002	0.004	0.004
15	02/10/2016	11:09:11	0.001	0.002	0.003	0.005	0.005
16	02/10/2016	11:24:11	0.001	0.002	0.003	0.005	0.005
17	02/10/2016	11:39:11	0.001	0.002	0.003	0.005	0.005
18	02/10/2016	11:54:11	0.001	0.002	0.003	0.005	0.005
19	02/10/2016	12:09:11	0.001	0.001	0.002	0.004	0.004
20	02/10/2016	12:24:11	0.001	0.001	0.002	0.004	0.004
21	02/10/2016	12:39:11	0.000	0.001	0.002	0.003	0.004
22	02/10/2016	12:54:11	0.001	0.002	0.003	0.004	0.005
23	02/10/2016	13:09:11	0.001	0.001	0.002	0.003	0.003
24	02/10/2016	13:24:11	0.000	0.001	0.001	0.003	0.003
25	02/10/2016	13:39:11	0.000	0.000	0.001	0.003	0.003
26	02/10/2016	13:54:11	0.000	0.000	0.001	0.003	0.003
27	02/10/2016	14:09:11	0.000	0.000	0.001	0.003	0.003
28	02/10/2016	14:24:11	0.000	0.001	0.001	0.003	0.003
29	02/10/2016	14:39:11	0.001	0.001	0.002	0.003	0.004
30	02/10/2016	14:54:11	0.000	0.001	0.002	0.004	0.004
31	02/10/2016	15:09:11	0.001	0.001	0.002	0.005	0.005

Test 001

Instrument		Data Properties	
Model	DustTrak DRX	Start Date	02/10/2016
Instrument S/N	8533143905	Start Time	10:57:57
		Stop Date	02/10/2016
		Stop Time	14:42:57
		Total Time	0:03:45:00
		Logging Interval	900 seconds

Test Data							
Data Point	Date	Time	PM1 mg/m ³	PM2.5 mg/m ³	RESP mg/m ³	PM10 mg/m ³	TOTAL mg/m ³
1	02/10/2016	11:12:57	0.004	0.005	0.006	0.009	0.009
2	02/10/2016	11:27:57	0.007	0.008	0.008	0.011	0.011
3	02/10/2016	11:42:57	0.004	0.004	0.005	0.007	0.007
4	02/10/2016	11:57:57	0.000	0.000	0.001	0.002	0.003
5	02/10/2016	12:12:57	-0.001	-0.001	0.000	0.000	0.000
6	02/10/2016	12:27:57	-0.004	-0.003	-0.003	-0.002	-0.002
7	02/10/2016	12:42:57	-0.005	-0.005	-0.004	-0.003	-0.003
8	02/10/2016	12:57:57	-0.007	-0.006	-0.006	-0.005	-0.005
9	02/10/2016	13:12:57	-0.008	-0.007	-0.007	-0.006	-0.006
10	02/10/2016	13:27:57	-0.008	-0.007	-0.007	-0.006	-0.006
11	02/10/2016	13:42:57	-0.008	-0.008	-0.007	-0.006	-0.006
12	02/10/2016	13:57:57	-0.009	-0.008	-0.008	-0.007	-0.007
13	02/10/2016	14:12:57	-0.009	-0.008	-0.008	-0.007	-0.007
14	02/10/2016	14:27:57	0.002	0.003	0.003	0.005	0.005
15	02/10/2016	14:42:57	-0.007	-0.007	-0.006	-0.005	-0.005