

SOUTH COAST AQMD  
CLERK OF THE BOARDS

July 8, 2016

CN: 15279

16 JUL -8 P2:29

Ms. Cher Snyder  
Assistant Deputy Executive Officer  
Office of Engineering and Compliance  
South Coast Air Quality Management District  
21865 Copley Drive  
Diamond Bar, CA 91765

**PROJECT: EXIDE TECHNOLOGIES FACILITY ID NO. 124838,  
ORDER OF ABATEMENT CASE NO. 3151-32**  
**RE: WEEKLY STATUS REPORT # 94 (6/23/16 – 6/29/16)**

Dear Ms. Snyder,

Tetra Tech Inc. is pleased to present the following Weekly Status Report for the above referenced project. This report covers the period of June 23, 2016 through June 29, 2016.

**CURRENT ACTIVITIES WHERE PREVIOUSLY APPROVED MITIGATION MEASURES WERE FULLY IMPLEMENTED**

Major items of work performed by Exide and/or its contractor(s) (including specific mitigation measures) during this reporting period where mitigation measures were observed to be implemented in full compliance with the previously approved mitigation measures under the Mitigation Plan for RCRA RFI Sampling, and Other Plant Activities or other Mitigation Plans, as approved by the SCAQMD, at the site during this period include:

TASK ID	Major Work Item	Mitigation Measure(s)
EX83/4	RCRA RFI Soil Sampling	Temporary Enclosure Under Negative Pressure
EX115	Sediment Removal from Equalization Tanks	Maintain Wetted Surfaces

\* Dust Trak monitoring performed for this work item.

**RCRA RFI Soil Sampling**

No work occurred related to the RCRA RFI Soil Sampling. RCRA RFI Soil Sampling activities on the Exide property will continue once a revised scope of work to address changed field conditions is developed and approved by the regulatory agencies.

Sediment Removal from Equalization Tanks

No work occurred related to the sediment removal from the Equalization Tanks. Removal of sediment from Equalization Tank #1 will occur during a future reporting period when it will not impact water treatment activities.

CURRENT ACTIVITIES WHERE A DEVIATION FROM PREVIOUSLY APPROVED MITIGATION MEASURES WERE OBSERVED AND THE CORRECTIVE ACTIONS TAKEN

Major items of work performed by Exide and/or its contractor(s) (including specific mitigation measures) currently under way or completed during this reporting period where for each of the activities described below, mitigation measures were implemented which to some extent deviated from the previously approved mitigation measures under the Mitigation Plan for RCRA RFI Sampling, and Other Plant Activities or other Mitigation Plans, as approved by the SCAQMD:

TASK ID	Major Work Item	Deviation(s)	CORRECTIVE ACTION
None			

In general accordance with the Order for Abatement Case No. 3151-32 Findings and Decision, air monitoring, if required, was conducted during a portion of all repair work performed within the temporary enclosures on a daily basis. If the results of continuous Dust Trak air monitoring detected excessive dust, additional suppression activities are required to be implemented. For this reporting period, Dust Trak monitoring did not detect excessive dust being generated from repair activities.

Activity Which Resulted in Excessive Dust	Additional Suppression Activity
None	None

ACTUAL vs. FORECAST PROGRESS:

Exide Technologies submitted a schedule which outlines the tasks needed to be completed in response to this abatement order. The attached Gant Chart shows scheduled progress for all activities planned for the upcoming two week period. The following table shows the status of these activities.

TASK	STATUS
None	None

**WORK SCHEDULED DURING THE UPCOMING PERIOD:**

The following activities are anticipated for the upcoming weeks:

<b>Week</b>	<b>Anticipated Activities</b>
Jun. 30 – Jul. 6	<ul style="list-style-type: none"><li>• None at this time.</li></ul>

<b>Week</b>	<b>Anticipated Activities</b>
Jul. 7 - Jul. 13	<ul style="list-style-type: none"><li>• None at this time.</li></ul>

**KEY MILESTONES:**

The following key milestones were achieved during this reporting period:

- o None at this time.

**WORKER SAFETY CONCERNS:**

The following Health and Safety issues, as they apply to Tetra Tech employees, were observed during this reporting period:

- o None.

**POTENTIAL CHANGES AND ACTION ITEMS REQUIRING RESOLUTION:**

The following items require resolution:

- o None at this time.

**SUMMARY:**

The summary provided herein covers the activities for the period of June 23, 2016 through June 29, 2016. Tetra Tech personnel were onsite to attend routine weekly meetings on Thursday, June 23, 2016, and Monday, June 27, 2016. In addition to attending the weekly meetings, Tetra Tech was onsite beginning on Monday, June 27, 2016 to monitor fence repairs being made at Command Packaging near the Mid Hi-Vol Fence Line Monitors. Tetra Tech monitored activities related to the fence repair including upwind and downwind Dust Trak monitoring of the areas, fugitive dust emissions, when activities were conducted. Review of Dust Trak data did not indicate that work associated with the cross-over pipe repairs was generating fugitive dust emissions in excess of their SCAQMD Rule 403 approved work plan.

No other mitigation plan work was scheduled. Please find attached a copy of Exide's upcoming two week schedule and site map identifying the location of the activities on the upcoming two weeks schedule.

Should you have questions regarding this report, or require additional information, please contact me at your earliest convenience.

Sincerely,



Nick Somogyi  
Project Engineer

ATTACHMENTS:  
Gant Chart Schedule  
Site Map  
Monitoring Data Forms

## **Gant Chart Schedule**

# Project Schedule

## Week of 06/22/16 – 07/14/16

*Rev: 06/30/2016*



Recycling Division, Vernon, CA

							06/25/16				07/02/2016				07/09/16				07/16/16										
Mitigation Plan Risks	Task Name	Plant Location	Duration	Start Date	Finish Date	%	22	23	24	25	26	27	28	29	30	01	02	03	04	05	06	07	08	09	10	11	12	13	14
							Ex 72	Cleaning of Assorted Materials in Total Enclosure	Total Enclosure	619 days	11/20/14	07/31/16	80%																
Ex 76	Various Work Methods in Total Enclosure	Total Enclosure	618 days	11/21/14	07/31/16	80%																							
4	RCRA RFI Soil Sampling	General	529 days	2/18/15	07/31/16	97%																							
Ex 83	RFI Soil Sampling Supplemental	General	529 days	02/18/15	07/31/16	97%																							
Ex 115	Sediment Removal from EQ Tanks	WWTP	5 days	3/7/16	07/31/16	50%																							

*Numbering system correlates with Mitigation plan document.  
Ex refers to additional work part of Sec. 6b in the Mitigation plan document.*

## **Site Map**



## Mitigation Project Map Layout

Week 06/22/16 – 07/14/16

Rev: 06/30/2016


### 4. RCRA RFI Soil Sampling

Ex 83. RFI Soil Sampling Supplemental

Ex 72. Cleaning of Assorted Materials in Total Encl.

Ex 76. Various Work Methods in Total Enclosure

Ex 115. Sediment Removal from EQ Tanks



4 & Ex 83 --- various sites

Numbering system correlates with Mitigation plan document. Ex refers to additional work part of Sec. 6b in the Mitigation plan document.

Mitigation Schedule and Map\_06/30/2016.pptx



**Monitoring Results / Reports**  
**(Monday, June 27, 2016)**

<b>ACTIVITY</b>	<b>SERIAL NUMBER</b>	<b>LOCATION</b>
Command Packaging Fence Repair	8533123601	Upwind
Command Packaging Fence Repair	8533152408	Downwind



Exide Technologies  
2700 Indiana Street  
Vernon, CA 90058

6/27/2016 Command Packaging  
Fence Repair

# Test 002

Instrument		Data Properties	
Model	DustTrak DRX	Start Date	06/27/2016
Instrument S/N	8533123601	Start Time	10:21:31
		Stop Date	06/27/2016
		Stop Time	13:36:31
		Total Time	0:03:00:00
		Logging Interval	900 seconds

Test Data							
Data Point	Date	Time	PM1 mg/m <sup>3</sup>	PM2.5 mg/m <sup>3</sup>	RESP mg/m <sup>3</sup>	PM10 mg/m <sup>3</sup>	TOTAL mg/m <sup>3</sup>
1	06/27/2016	10:36:31	0.051	0.054	0.055	0.057	0.057
2	06/27/2016	10:51:31	0.047	0.049	0.050	0.052	0.053
3	06/27/2016	11:06:31	0.048	0.051	0.052	0.054	0.054
4	06/27/2016	11:21:31	0.047	0.049	0.050	0.052	0.053
5	06/27/2016	11:36:31	0.040	0.042	0.043	0.045	0.045
6	06/27/2016	11:51:31	0.035	0.037	0.038	0.040	0.040
7	06/27/2016	12:06:31	0.034	0.036	0.037	0.039	0.039
8	06/27/2016	12:21:31	0.031	0.033	0.034	0.035	0.035
9	06/27/2016	12:36:31	0.030	0.032	0.033	0.035	0.036
10	06/27/2016	12:51:31	0.029	0.031	0.032	0.034	0.034
11	06/27/2016	13:06:31	0.167	0.169	0.170	0.176	0.180
12	06/27/2016	13:17:00	0.000	0.000	0.000	0.000	0.000
13	06/27/2016	13:21:31	0.026	0.027	0.028	0.029	0.029

# Test 002

Instrument		Data Properties	
Model	DustTrak DRX	Start Date	06/27/2016
Instrument S/N	8533152408	Start Time	10:13:42
		Stop Date	06/27/2016
		Stop Time	16:13:42
		Total Time	0:06:00:00
		Logging Interval	900 seconds

Test Data							
Data Point	Date	Time	PM1 mg/m <sup>3</sup>	PM2.5 mg/m <sup>3</sup>	RESP mg/m <sup>3</sup>	PM10 mg/m <sup>3</sup>	TOTAL mg/m <sup>3</sup>
1	06/27/2016	10:28:42	0.054	0.056	0.057	0.059	0.065
2	06/27/2016	10:43:42	0.048	0.049	0.049	0.050	0.051
3	06/27/2016	10:58:42	0.045	0.046	0.047	0.048	0.048
4	06/27/2016	11:13:42	0.047	0.048	0.049	0.050	0.050
5	06/27/2016	11:28:42	0.042	0.044	0.044	0.045	0.045
6	06/27/2016	11:43:42	0.035	0.036	0.037	0.038	0.038
7	06/27/2016	11:58:42	0.032	0.033	0.034	0.034	0.034
8	06/27/2016	12:13:42	0.031	0.032	0.032	0.033	0.033
9	06/27/2016	12:28:42	0.028	0.029	0.029	0.030	0.030
10	06/27/2016	12:43:42	0.028	0.029	0.029	0.030	0.030
11	06/27/2016	12:58:42	0.025	0.026	0.026	0.027	0.027
12	06/27/2016	13:13:42	0.023	0.024	0.024	0.025	0.025
13	06/27/2016	13:28:42	0.024	0.025	0.025	0.026	0.026
14	06/27/2016	13:43:42	0.029	0.030	0.030	0.031	0.031
15	06/27/2016	13:58:42	0.037	0.038	0.038	0.039	0.039
16	06/27/2016	14:13:42	0.041	0.042	0.042	0.043	0.043
17	06/27/2016	14:28:42	0.038	0.038	0.039	0.040	0.040
18	06/27/2016	14:43:42	0.040	0.041	0.041	0.042	0.042
19	06/27/2016	14:58:42	0.039	0.040	0.040	0.041	0.041
20	06/27/2016	15:13:42	0.035	0.036	0.036	0.037	0.037
21	06/27/2016	15:28:42	0.031	0.032	0.032	0.033	0.033
22	06/27/2016	15:43:42	0.032	0.033	0.033	0.034	0.034
23	06/27/2016	15:58:42	0.031	0.031	0.032	0.033	0.033
24	06/27/2016	16:13:42	0.029	0.030	0.030	0.031	0.031

**Monitoring Results / Reports**  
**(Tuesday, June 28, 2016)**

<b>ACTIVITY</b>	<b>SERIAL NUMBER</b>	<b>LOCATION</b>
Command Packaging Fence Repair	8533152408	Upwind
Command Packaging Fence Repair	8533132910	Downwind



Exide Technologies  
2700 Indiana Street  
Vernon, CA 90058

6/28/2016 Command Packaging  
Fence Repair

# Test 001

Instrument		Data Properties	
Model	DustTrak DRX	Start Date	06/28/2016
Instrument S/N	8533132910	Start Time	06:13:37
		Stop Date	06/28/2016
		Stop Time	14:28:37
		Total Time	0:08:15:00
		Logging Interval	900 seconds

Test Data							
Data Point	Date	Time	PM1 mg/m <sup>3</sup>	PM2.5 mg/m <sup>3</sup>	RESP mg/m <sup>3</sup>	PM10 mg/m <sup>3</sup>	TOTAL mg/m <sup>3</sup>
1	06/28/2016	06:28:37	0.069	0.072	0.073	0.074	0.074
2	06/28/2016	06:43:37	0.079	0.082	0.083	0.083	0.083
3	06/28/2016	06:58:37	0.078	0.082	0.082	0.083	0.083
4	06/28/2016	07:13:37	0.084	0.088	0.088	0.089	0.089
5	06/28/2016	07:28:37	0.081	0.084	0.085	0.085	0.085
6	06/28/2016	07:43:37	0.083	0.087	0.087	0.088	0.088
7	06/28/2016	07:58:37	0.081	0.085	0.085	0.086	0.086
8	06/28/2016	08:13:37	0.084	0.088	0.089	0.090	0.090
9	06/28/2016	08:28:37	0.078	0.081	0.081	0.082	0.082
10	06/28/2016	08:43:37	0.081	0.084	0.084	0.085	0.085
11	06/28/2016	08:58:37	0.078	0.081	0.081	0.082	0.082
12	06/28/2016	09:13:37	0.070	0.073	0.074	0.075	0.075
13	06/28/2016	09:28:37	0.065	0.069	0.069	0.070	0.070
14	06/28/2016	09:43:37	0.063	0.066	0.067	0.068	0.068
15	06/28/2016	09:58:37	0.059	0.063	0.064	0.065	0.065
16	06/28/2016	10:13:37	0.062	0.065	0.066	0.067	0.067
17	06/28/2016	10:28:37	0.062	0.066	0.067	0.069	0.069
18	06/28/2016	10:43:37	0.054	0.058	0.059	0.059	0.059
19	06/28/2016	10:58:37	0.053	0.056	0.057	0.058	0.058
20	06/28/2016	11:13:37	0.053	0.056	0.057	0.058	0.058
21	06/28/2016	11:28:37	0.057	0.060	0.061	0.062	0.062
22	06/28/2016	11:43:37	0.055	0.058	0.059	0.060	0.060
23	06/28/2016	11:58:37	0.059	0.062	0.062	0.063	0.063
24	06/28/2016	12:13:37	0.062	0.065	0.065	0.066	0.066
25	06/28/2016	12:28:37	0.062	0.065	0.065	0.066	0.066
26	06/28/2016	12:43:37	0.060	0.062	0.063	0.063	0.063
27	06/28/2016	12:58:37	0.056	0.058	0.059	0.059	0.059
28	06/28/2016	13:13:37	0.054	0.056	0.056	0.057	0.057
29	06/28/2016	13:28:37	0.053	0.055	0.055	0.055	0.055
30	06/28/2016	13:43:37	0.052	0.054	0.054	0.055	0.055
31	06/28/2016	13:58:37	0.050	0.052	0.053	0.053	0.053
32	06/28/2016	14:13:37	0.046	0.048	0.048	0.049	0.049
33	06/28/2016	14:28:37	0.044	0.045	0.045	0.046	0.046

# Test 003

Instrument		Data Properties	
Model	DustTrak DRX	Start Date	06/28/2016
Instrument S/N	8533152408	Start Time	06:19:48
		Stop Date	06/28/2016
		Stop Time	13:49:48
		Total Time	0:07:30:00
		Logging Interval	900 seconds

Test Data							
Data Point	Date	Time	PM1 mg/m <sup>3</sup>	PM2.5 mg/m <sup>3</sup>	RESP mg/m <sup>3</sup>	PM10 mg/m <sup>3</sup>	TOTAL mg/m <sup>3</sup>
1	06/28/2016	06:34:48	0.069	0.070	0.070	0.071	0.071
2	06/28/2016	06:49:48	0.072	0.073	0.074	0.075	0.075
3	06/28/2016	07:04:48	0.074	0.075	0.075	0.076	0.076
4	06/28/2016	07:19:48	0.072	0.073	0.073	0.074	0.074
5	06/28/2016	07:34:48	0.067	0.067	0.068	0.068	0.068
6	06/28/2016	07:49:48	0.065	0.066	0.066	0.067	0.067
7	06/28/2016	08:04:48	0.065	0.065	0.066	0.067	0.067
8	06/28/2016	08:19:48	0.064	0.065	0.066	0.066	0.066
9	06/28/2016	08:34:48	0.069	0.069	0.070	0.071	0.071
10	06/28/2016	08:49:48	0.070	0.071	0.072	0.073	0.073
11	06/28/2016	09:04:48	0.064	0.065	0.066	0.067	0.067
12	06/28/2016	09:19:48	0.058	0.060	0.060	0.061	0.062
13	06/28/2016	09:34:48	0.056	0.057	0.058	0.059	0.059
14	06/28/2016	09:49:48	0.053	0.054	0.055	0.057	0.057
15	06/28/2016	10:04:48	0.052	0.054	0.054	0.056	0.056
16	06/28/2016	10:19:48	0.050	0.051	0.051	0.053	0.053
17	06/28/2016	10:34:48	0.044	0.044	0.045	0.046	0.046
18	06/28/2016	10:49:48	0.044	0.045	0.046	0.048	0.048
19	06/28/2016	11:04:48	0.049	0.050	0.051	0.052	0.052
20	06/28/2016	11:19:48	0.047	0.048	0.049	0.050	0.050
21	06/28/2016	11:34:48	0.046	0.047	0.048	0.049	0.049
22	06/28/2016	11:49:48	0.049	0.050	0.050	0.051	0.051
23	06/28/2016	12:04:48	0.052	0.053	0.053	0.055	0.055
24	06/28/2016	12:19:48	0.052	0.053	0.054	0.054	0.054
25	06/28/2016	12:34:48	0.051	0.052	0.052	0.053	0.053
26	06/28/2016	12:49:48	0.049	0.049	0.050	0.051	0.051
27	06/28/2016	13:04:48	0.047	0.048	0.048	0.049	0.049
28	06/28/2016	13:19:48	0.046	0.046	0.047	0.047	0.047
29	06/28/2016	13:34:48	0.045	0.046	0.046	0.047	0.047
30	06/28/2016	13:49:48	0.044	0.044	0.045	0.045	0.045



**Monitoring Results / Reports**  
**(Wednesday, June 29, 2016)**

<b>ACTIVITY</b>	<b>SERIAL NUMBER</b>	<b>LOCATION</b>
Command Packaging Fence Repair	8533132910	Upwind
Command Packaging Fence Repair	8533152408	Downwind



Exide Technologies  
2700 Indiana Street  
Vernon, CA 90058

6/29/2016 Command Packaging  
Fence Repair

# Test 002

Instrument		Data Properties	
Model	DustTrak DRX	Start Date	06/29/2016
Instrument S/N	8533132910	Start Time	06:22:31
		Stop Date	06/29/2016
		Stop Time	14:22:31
		Total Time	0:08:00:00
		Logging Interval	900 seconds

Test Data							
Data Point	Date	Time	PM1 mg/m <sup>3</sup>	PM2.5 mg/m <sup>3</sup>	RESP mg/m <sup>3</sup>	PM10 mg/m <sup>3</sup>	TOTAL mg/m <sup>3</sup>
1	06/29/2016	06:37:31	0.091	0.094	0.094	0.095	0.095
2	06/29/2016	06:52:31	0.089	0.092	0.092	0.093	0.093
3	06/29/2016	07:07:31	0.081	0.085	0.085	0.086	0.086
4	06/29/2016	07:22:31	0.080	0.083	0.084	0.085	0.085
5	06/29/2016	07:37:31	0.081	0.084	0.084	0.085	0.085
6	06/29/2016	07:52:31	0.076	0.079	0.079	0.080	0.080
7	06/29/2016	08:07:31	0.083	0.086	0.086	0.087	0.087
8	06/29/2016	08:22:31	0.079	0.082	0.082	0.082	0.082
9	06/29/2016	08:37:31	0.080	0.083	0.083	0.084	0.084
10	06/29/2016	08:52:31	0.081	0.084	0.084	0.085	0.085
11	06/29/2016	09:07:31	0.071	0.074	0.074	0.075	0.075
12	06/29/2016	09:22:31	0.065	0.067	0.068	0.068	0.068
13	06/29/2016	09:37:31	0.061	0.063	0.063	0.064	0.064
14	06/29/2016	09:52:31	0.058	0.060	0.061	0.062	0.062
15	06/29/2016	10:07:31	0.057	0.059	0.060	0.061	0.061
16	06/29/2016	10:22:31	0.058	0.060	0.061	0.061	0.061
17	06/29/2016	10:37:31	0.056	0.058	0.058	0.059	0.059
18	06/29/2016	10:52:31	0.054	0.056	0.057	0.057	0.057
19	06/29/2016	11:07:31	0.048	0.050	0.050	0.051	0.051
20	06/29/2016	11:22:31	0.048	0.050	0.050	0.051	0.051
21	06/29/2016	11:37:31	0.044	0.046	0.046	0.047	0.047
22	06/29/2016	11:52:31	0.048	0.049	0.050	0.051	0.051
23	06/29/2016	12:07:31	0.049	0.051	0.052	0.053	0.053
24	06/29/2016	12:22:31	0.054	0.056	0.056	0.058	0.058
25	06/29/2016	12:37:31	0.059	0.061	0.061	0.062	0.062
26	06/29/2016	12:52:31	0.059	0.061	0.062	0.063	0.063
27	06/29/2016	13:07:31	0.057	0.059	0.060	0.060	0.060
28	06/29/2016	13:22:31	0.054	0.056	0.057	0.057	0.057
29	06/29/2016	13:37:31	0.054	0.056	0.056	0.057	0.057
30	06/29/2016	13:52:31	0.049	0.051	0.051	0.052	0.052
31	06/29/2016	14:07:31	0.045	0.047	0.047	0.048	0.048
32	06/29/2016	14:22:31	0.045	0.046	0.047	0.047	0.047

# Test 004

Instrument		Data Properties	
Model	DustTrak DRX	Start Date	06/29/2016
Instrument S/N	8533152408	Start Time	06:12:12
		Stop Date	06/29/2016
		Stop Time	14:12:12
		Total Time	0:08:00:00
		Logging Interval	900 seconds

Test Data							
Data Point	Date	Time	PM1 mg/m <sup>3</sup>	PM2.5 mg/m <sup>3</sup>	RESP mg/m <sup>3</sup>	PM10 mg/m <sup>3</sup>	TOTAL mg/m <sup>3</sup>
1	06/29/2016	06:27:12	0.080	0.080	0.081	0.081	0.081
2	06/29/2016	06:42:12	0.079	0.080	0.080	0.080	0.080
3	06/29/2016	06:57:12	0.075	0.075	0.076	0.076	0.076
4	06/29/2016	07:12:12	0.074	0.075	0.075	0.075	0.075
5	06/29/2016	07:27:12	0.078	0.078	0.079	0.079	0.079
6	06/29/2016	07:42:12	0.079	0.080	0.080	0.081	0.081
7	06/29/2016	07:57:12	0.080	0.080	0.081	0.081	0.081
8	06/29/2016	08:12:12	0.082	0.083	0.083	0.084	0.084
9	06/29/2016	08:27:12	0.076	0.077	0.077	0.078	0.078
10	06/29/2016	08:42:12	0.075	0.076	0.076	0.077	0.077
11	06/29/2016	08:57:12	0.074	0.075	0.075	0.076	0.076
12	06/29/2016	09:12:12	0.062	0.063	0.063	0.064	0.064
13	06/29/2016	09:27:12	0.057	0.058	0.058	0.059	0.059
14	06/29/2016	09:42:12	0.055	0.056	0.056	0.058	0.058
15	06/29/2016	09:57:12	0.053	0.054	0.054	0.056	0.056
16	06/29/2016	10:12:12	0.052	0.053	0.053	0.054	0.054
17	06/29/2016	10:27:12	0.051	0.051	0.052	0.052	0.052
18	06/29/2016	10:42:12	0.047	0.047	0.048	0.049	0.049
19	06/29/2016	10:57:12	0.044	0.045	0.045	0.046	0.046
20	06/29/2016	11:12:12	0.039	0.039	0.040	0.041	0.041
21	06/29/2016	11:27:12	0.038	0.039	0.039	0.040	0.040
22	06/29/2016	11:42:12	0.037	0.037	0.038	0.038	0.039
23	06/29/2016	11:57:12	0.039	0.040	0.040	0.041	0.041
24	06/29/2016	12:12:12	0.042	0.043	0.043	0.044	0.044
25	06/29/2016	12:27:12	0.045	0.045	0.046	0.047	0.047
26	06/29/2016	12:42:12	0.049	0.049	0.050	0.051	0.051
27	06/29/2016	12:57:12	0.047	0.048	0.048	0.049	0.049
28	06/29/2016	13:12:12	0.044	0.045	0.045	0.046	0.046
29	06/29/2016	13:27:12	0.044	0.045	0.045	0.046	0.046
30	06/29/2016	13:42:12	0.042	0.043	0.043	0.044	0.044
31	06/29/2016	13:57:12	0.038	0.038	0.038	0.039	0.039
32	06/29/2016	14:12:12	0.036	0.037	0.037	0.038	0.038