

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

LABORATORY APPROVAL PROGRAM (LAP)

SCAQMD Rules Requiring LAP Approved Testing Laboratories

1. Rule 218/218.1 - CEMS tests
2. Rule 431.1 - CEMS/CFGMS tests
3. Rule 462 - District Approval Procedure Tests
4. Rule 1105.1 - PM Tests
5. Rule 1110.2 - NO_x, CO, VOC & CEMS Tests
6. Rule 1111 - District Protocol
7. Rule 1118.1 - NO_x, CO, VOC, ASTM D-1945
8. Rule 1121 - District Protocol
9. Rule 1132 - VOC tests (District Methods)
10. Rule 1134 - CEMS tests
11. Rule 1135 - CEMS tests
12. Rule 1138 - District Protocol
13. Rules 1146/ 1146.1 - CEMS tests & District Test Protocol
14. Rule 1146.2 - District Protocol
15. Rule 1147 - NO_x Tests
16. Rule 1150.1 - VOC Tests
17. Rule 1155 - PM Tests
18. Rule 1173 - ASTM Method D1945
19. Rule 1174 - District Protocol
20. Rule 1189 - VOC, CO₂ & Flow Tests
21. Rules 1420 - 1420.2 - Lead Monitoring, Sampling & Analysis
22. Rule 1425 - CARB Method 422*
23. Rule 2011 - SO₂ Major & Large Sources, Process Units
24. Rule 2012 - NO_x Major & Large Sources, Process Units

*LAP approval not available for cited test method(s), therefore, LAP approval requirement shall become effective one year after LAP approval becomes available.

Rules Requiring LAP 210303.doc

Revised March 3, 2021